

**Table 4. Summary of Confirmation Analytical Results - Se Area, East Property
Former ASARCO Smelter Site - El Paso, Texas**

chemical_name report_result_unit				Arsenic mg/kg	Barium mg/kg	Cadmium mg/kg	Chromium mg/kg	Cobalt mg/kg	Copper mg/kg	Iron mg/kg	Lead mg/kg	Mercury mg/kg	Molybdenum mg/kg	Nickel mg/kg	Selenium mg/kg	Silver mg/kg	Zinc mg/kg
TRRP_SO_Residential				46	8100	52	27000	400	1300	NE	500	9	160	840	310	97	9900
Location ID	Sample ID	sample date	sample depth														
J15	J15-072015	7/20/2015	0	10.1	91.7	0.784	14.3	5.71	35.6	13900	39.3	0.0933	1.62 J	10.5	2.02	0.293	57.9
J16	J16-072015	7/20/2015	0	13.6	95.3	3.03	8.80	4.76	58.7	13300	64.6	0.0401 J	0.640 J	6.01	1.34	0.212	72.3
K15	K15-072015	7/20/2015	0	10.0	105	0.441	18.3	7.42	24.3	16600	18.6	0.0740	1.53 J	14.1	20.3	0.304	48.7
L15	L15-071815	7/18/2015	0	22.1	244	5.25	13.2	8.25	256	15600	148	0.158	8.94	9.13	53.8	0.877	351
L16	L16-071815	7/18/2015	0	18.2	222	3.78	11.1	5.26	125	13300	119	0.163	2.96	7.54	19.3	0.983	122
M15	M15-071815	7/18/2015	0	15.9	134	4.68	9.96	5.21	109	13100	108	0.178	1.87 J	6.51	2.23	0.441	113
M16	M16-071815	7/18/2015	0	28.6	166	11.2	10.9	6.00	161	13900	168	0.178	6.17	7.77	10.9	0.856	210
M17	M17-071815	7/18/2015	0	12.1	137	2.12	10.5	4.47	82.6	9560	64.1	0.162	1.68 J	6.88	15.5	0.492	70.2
N17	N17-071815	7/18/2015	0	25.1	125	9.09	9.51	5.71	131	14300	145	0.231	4.63	7.08	8.02	1.04	147
N18	N18-071715	7/17/2015	0	26.4	190	6.86	13.3	12.0	242	16400	220	0.215	21.8	8.63	16.3	1.17	383

Notes:

TRRP = Texas Risk Reduction Program

PCL = Protective Concentration Level