

**Table 1. Summary of PCB Analytical Results, Confirmation Soil Samples
Former ASARCO Smelter Site
El Paso, Texas**

Location	Sample ID	Sample Date	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	Total PCBs
AE4-2	AE4-2-061312	6/13/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.0637	< 0.0051 U	< 0.0051 U	0.03 J	< 0.0051 U	< 0.0051 U	0.09
AE5	AE5-0.5-1.0-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	1.16 J	< 0.0051 UJ	< 0.0051 UJ	24.4 J	< 0.0051 UJ	< 0.0051 UJ	25.50
AE5	AE5-0-0.5-060512	6/5/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	3.71 J	< 0.0051 UJ	< 0.0051 UJ	70.3 J	< 0.0051 UJ	< 0.0051 UJ	74.00
AE5-E1	AE5-E1-0.5-1.0-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	2.32 J	< 0.0051 UJ	< 0.0051 UJ	2.32
AE5-E1	AE5-E1-0.0-0.5-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	8.05 J	< 0.0051 UJ	< 0.0051 UJ	21.9 J	< 0.0051 UJ	< 0.0051 UJ	29.90
AE5-E1 Dup	FD102312-3	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	1.23 J	< 0.0051 UJ	< 0.0051 UJ	21.1 J	< 0.0051 UJ	< 0.0051 UJ	22.30
AE5-E2	AE5-E2-0.5-1.0-102312	10/23/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.223 J	< 0.0051 U	< 0.0051 U	4.57	< 0.0051 U	< 0.0051 U	4.79
AE5-E2	AE5-E2-0.0-0.5-102312	10/23/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.832	< 0.0051 U	< 0.0051 U	19.5	< 0.0051 U	< 0.0051 U	20.40
AE5-N1	AE5-N1-0.5-1.0-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	480 J	< 0.0051 UJ	< 0.0051 UJ	480.00
AE5-N1	AE5-N1-0.0-0.5-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	611 J	< 0.0051 UJ	< 0.0051 UJ	611.00
AE5-N2	AE5-N2-0.5-1.0-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	17.4 J	< 0.0051 UJ	< 0.0051 UJ	17.40
AE5-N2	AE5-N2-0.0-0.5-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	16.9 J	< 0.0051 UJ	< 0.0051 UJ	173 J	< 0.0051 UJ	< 0.0051 UJ	190.00
AE5-S1	AE5-S1-0.5-1.0-102312	10/23/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.0117 J	< 0.0051 U	< 0.0051 U	0.163	< 0.0051 U	< 0.0051 U	0.18
AE5-S1	AE5-S1-0.0-0.5-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	2.85 J	< 0.0051 UJ	< 0.0051 UJ	45.3 J	< 0.0051 UJ	< 0.0051 UJ	48.20
AE5-S2	AE5-S2-0.5-1.0-102312	10/23/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.0134 J	< 0.0051 U	< 0.0051 U	0.01
AE5-S2	AE5-S2-0.0-0.5-102312	10/23/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.974	< 0.0051 U	< 0.0051 U	19	< 0.0051 U	< 0.0051 U	20.00
AE5-W1	AE5-W1-0.0-0.5-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	6.02 J	< 0.0051 UJ	< 0.0051 UJ	92.9 J	< 0.0051 UJ	< 0.0051 UJ	98.90
AE5-W1	AE5-W1-0.5-1.0-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	118 J	< 0.0051 UJ	< 0.0051 UJ	118.00
AE5-W2	AE5-W2-0.0-0.5-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	1.87 J	< 0.0051 UJ	< 0.0051 UJ	31.2 J	< 0.0051 UJ	< 0.0051 UJ	33.10
AE5-W2	AE5-W2-0.5-1.0-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	5.91 J	< 0.0051 UJ	< 0.0051 UJ	102 J	< 0.0051 UJ	< 0.0051 UJ	108.00
AE6	AE6-0-0.5-060512	6/5/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.22	< 0.0051 U	< 0.0051 U	0.57	< 0.0051 U	< 0.0051 U	0.79
AE7-2	AE7-2-061312	6/13/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.011 J	0.00566 J	< 0.0051 U	< 0.0051 U	0.02
AE8	AE8-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.131	< 0.0051 U	0.0326 J	0.0257 J	< 0.0051 U	< 0.0051 U	0.19
AE8-E1	AE8-E1-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.302	< 0.0051 U	0.088	0.0842	< 0.0051 U	< 0.0051 U	0.47
AE8-E2	AE8-E2-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.0908	< 0.0051 U	0.0172 J	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.12
AE8-S1	AE8-S1-0.5-1.0-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.233	< 0.0051 U	< 0.0051 U	0.0728	< 0.0051 U	< 0.0051 U	0.31
AE8-S1	AE8-S1-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	1.11	< 0.0051 U	0.213	0.21	< 0.0051 U	< 0.0051 U	1.53
AE8-W1	AE8-W1-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.264	< 0.0051 U	0.0722	0.0613	< 0.0051 U	< 0.0051 U	0.40
AE8-W2	AE8-W2-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.111	< 0.0051 U	0.0371 J	0.0418 J	< 0.0051 U	< 0.0051 U	0.19
AE11-2	AE11-2-061312	6/13/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	31.8 J	7.5 J	< 0.0051 UJ	< 0.0051 UJ	39.30
AE11-E1	AE11-E1-052114	5/21/2014	< 0.0517 U	< 0.0517 U	< 0.0517 U	1.22	< 0.0517 U	3.37	0.414	< 0.0517 U	< 0.0517 U	5.00
AE11-E1	AE11-E1-0.5-1.0-102212	10/22/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	24.4 J	7.91 J	< 0.0051 UJ	< 0.0051 UJ	32.30
AE11-E1	AE11-E1-041714	4/17/2014	< 1.06 UJ	< 1.06 UJ	< 1.06 UJ	< 1.06 UJ	< 1.06 UJ	112 J	10.4 J	< 1.06 UJ	< 1.06 UJ	122.40
AE11-E1	AE11-E1-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	672	268	< 0.0051 U	< 0.0051 U	939.00
AE11-E2	AE11-E2-072114	7/21/2014	< 0.00528 U	< 0.00528 U	< 0.00528 U	< 0.00528 U	< 0.00528 U	0.107	< 0.00528 U	< 0.00528 U	< 0.00528 U	0.11
AE11-E2	AE11-E2-041714	4/17/2014	< 0.259 UJ	< 0.259 UJ	< 0.259 UJ	< 0.259 UJ	< 0.259 UJ	18.7 J	1.71 J	< 0.259 UJ	< 0.259 UJ	20.41
AE11-E2	AE11-E2-052114	5/21/2014	< 0.259 UJL	< 0.259 UJL	< 0.259 UJL	3.35 JL	< 0.259 UJL	34.9 JL	4.55 JL	< 0.259 UJL	< 0.259 UJL	42.80
AE11-E2	AE11-E2-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	551	224	< 0.0051 U	< 0.0051 U	775.00
AE11-E2	AE11-E2-0.5-1.0-102212	10/22/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	727 J	249 J	< 0.0051 UJ	< 0.0051 UJ	976.00
AE11-E2N1	AE11-E2N1-052114	5/21/2014	< 0.0107 U	< 0.0107 U	< 0.0107 U	0.207	< 0.0107 U	0.947	0.125	< 0.0107 U	< 0.0107 U	1.28
AE11-E2N1	AE11-E2N1-0.5-1.0	10/28/2013	< 0.0279 U	< 0.0279 U	< 0.0279 U	< 0.0279 U	< 0.0279 U	1.48	0.295	< 0.0279 U	< 0.0279 U	1.77
AE11-E2N1	AE11-E2N1-041714	4/17/2014	< 0.105 U	< 0.105 U	< 0.105 U	1.29	< 0.105 U	14.5	1.51	< 0.105 U	< 0.105 U	17.30
AE11-E2N1	AE11-E2N1-0.0-0.5	10/28/2013	< 0.279 UJ	< 0.279 UJ	< 0.279 UJ	< 0.279 UJ	< 0.279 UJ	18.5 J	< 0.279 UJ	< 0.279 UJ	< 0.279 UJ	18.50
AE11-E2N2	AE11-E2N2-0.0-0.5	10/28/2013	< 0.00545 U	< 0.00545 U	< 0.00545 U	< 0.00545 U	< 0.00545 U	0.0863	< 0.00545 U	< 0.00545 U	< 0.00545 U	0.09
AE11-E2N2	AE11-E2N2-0.5-1.0	10/28/2013	< 0.00540 U	< 0.00540 U	< 0.00540 U	< 0.00540 U	< 0.00540 U	0.167	0.0235 J	< 0.00540 U	< 0.00540 U	0.19
AE11-E3	AE11-E3-041714	4/17/2014	< 0.0267 UJ	< 0.0267 U	< 0.0267 U	0.192	< 0.0267 U	4.01	0.535 JH	< 0.0267 U	< 0.0267 U	4.74
AE11-E3	AE11-E3-0.5-1.0	10/28/2013	< 0.108 U	< 0.108 U	< 0.108 U	< 0.108 U	< 0.108 U	16.9	13.3	< 0.108 U	< 0.108 U	30.20
AE11-E3	AE11-E3-0.0-0.5	10/28/2013	< 0.270 UJ	< 0.270 UJ	< 0.270 UJ	< 0.270 UJ	< 0.270 UJ	34.3 J	36.5 J	< 0.270 UJ	< 0.270 UJ	70.80

Table 1. Summary of PCB Analytical Results, Confirmation Soil Samples
Former ASARCO Smelter Site
El Paso, Texas

Location	Sample ID	Sample Date	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	Total PCBs
AE11-E3N1	AE11-E3N1-0.5-1.0	10/28/2013	< 0.0280 U	< 0.0280 U	< 0.0280 U	2.28	< 0.0280 U	1.05	0.553	< 0.0280 U	< 0.0280 U	3.89
AE11-E3N1	AE11-E3N1-041714	4/17/2014	< 0.0264 U	< 0.0264 U	< 0.0264 U	0.667	< 0.0264 U	3.99	0.699	< 0.0264 U	< 0.0264 U	5.36
AE11-E3N1	AE11-E3N1-0.0-0.5	10/28/2013	< 0.113 U	< 0.113 U	< 0.113 U	17.7	< 0.113 U	< 0.113 U	0.767	< 0.113 U	< 0.113 U	18.40
AE11-E3N2	AE11-E3N2-0.5-1.0	10/28/2013	< 0.00542 U	< 0.00542 U	< 0.00542 U	0.0103 J	< 0.00542 U	0.0172 J	< 0.00542 U	< 0.00542 U	< 0.00542 U	0.03
AE11-E3N2	AE11-E3N2-0.0-0.5	10/28/2013	< 0.00539 U	< 0.00539 U	< 0.00539 U	< 0.00539 U	< 0.00539 U	0.0808	0.0108 J	< 0.00539 U	< 0.00539 U	0.09
AE11-E4	AE11-E4-072114	7/21/2014	< 0.00517 U	< 0.00517 U	< 0.00517 U	< 0.00517 U	< 0.00517 U	0.0266 J	< 0.00517 U	< 0.00517 U	< 0.00517 U	0.03
AE11-E4	AE11-E4-052114	5/21/2014	< 0.104 U	< 0.104 U	< 0.104 U	1.53	< 0.104 U	11.1	2.08	< 0.104 U	< 0.104 U	14.71
AE11-E4	AE11-E4-0.0-0.5	10/28/2013	< 0.103 U	< 0.103 U	< 0.103 U	< 0.103 U	< 0.103 U	12.6	2.50	< 0.103 U	< 0.103 U	15.10
AE11-E4	AE11-E4-0.5-1.0	10/28/2013	< 0.110 UH	< 0.110 UH	< 0.110 UH	< 0.110 UH	< 0.110 UH	14.0 H	3.16 H	< 0.110 UH	< 0.110 UH	17.10
AE11-E4	AE11-E4-041714	4/17/2014	< 0.259 UJ	< 0.259 UJ	< 0.259 UJ	5.33 J	< 0.259 UJ	23.7 J	3.99 J	< 0.259 UJ	< 0.259 UJ	33.02
AE11-E4N1	AE11-E4N1-0.0-0.5	10/28/2013	< 0.0268 UH	< 0.0268 UH	< 0.0268 UH	< 0.0268 UH	< 0.0268 UH	2.62 H	0.443 H	< 0.0268 UH	< 0.0268 UH	3.07
AE11-E4N2	AE11-E4N2-0.5-1.0	10/28/2013	< 0.0273 UJL	< 0.0273 UJL	< 0.0273 UJL	< 0.0273 UJL	< 0.0273 UJL	3.74 JL	< 0.0273 UJL	< 0.0273 UJL	< 0.0273 UJL	3.74
AE11-E4N2	AE11-E4N2-0.0-0.5	10/28/2013	< 0.164 UJL	< 0.164 UJL	< 0.164 UJL	< 0.164 UJL	< 0.164 UJL	27.3 JL	< 0.164 UJL	< 0.164 UJL	< 0.164 UJL	27.30
AE11-E4N2	AE11-E4N2-041714	4/17/2014	< 0.0263 UJ	< 0.0263 UJ	< 0.0263 UJ	< 0.0263 UJ	< 0.0263 UJ	0.179 J	0.0750 J	< 0.0263 UJ	< 0.0263 UJ	0.25
AE11-E5	AE11-E5-0.0-0.5	10/28/2013	< 0.00554 UH	< 0.00554 UH	< 0.00554 UH	< 0.00554 UH	< 0.00554 UH	0.0804 H	0.0428 H	< 0.00554 UH	< 0.00554 UH	0.12
AE11-E5N1	AE11-E5N1-0.5-1.0	10/28/2013	< 0.00553 UJL	< 0.00553 UJL	< 0.00553 UJL	< 0.00553 UJL	< 0.00553 UJL	0.0816 JL	< 0.00553 UJL	0.0391 JL	< 0.00553 UJL	0.12
AE11-E5N1	AE11-E5N1-0.0-0.5	10/28/2013	< 0.00553 UJL	< 0.00553 UJL	< 0.00553 UJL	< 0.00553 UJL	< 0.00553 UJL	0.162 JL	0.0916 JL	< 0.00553 UJL	< 0.00553 UJL	0.25
AE11-E6N2	AE11-E6N2-0.5-1.0-031114	3/11/2014	< 0.0269 U	< 0.0269 U	< 0.0269 U	< 0.0269 U	< 0.0269 U	< 0.0269 U	< 0.0269 U	< 0.0269 U	0.115 J	0.12
AE11-E6N2	AE11-E6N2-0.0-0.5-031114	3/11/2014	< 0.00542 U	< 0.00542 U	< 0.00542 U	0.0432	< 0.00542 U	0.0862	0.0465	< 0.00542 U	< 0.00542 U	0.18
AE11-E6N3	AE11-E6N3-0.5-1.0-031114	3/11/2014	< 0.00528 U	< 0.00528 U	< 0.00528 U	< 0.00528 U	< 0.00528 U	< 0.00528 U	< 0.00528 U	< 0.00528 U	< 0.00528 U	0.00
AE11-E6N3	AE11-E6N3-0.0-0.5-031114	3/11/2014	< 0.0266 U	< 0.0266 U	< 0.0266 U	< 0.0266 U	< 0.0266 U	0.0378 J	< 0.0266 U	< 0.0266 U	< 0.0266 U	0.04
AE11-N1	AE11-N1-052114	5/21/2014	< 0.0529 U	< 0.0529 U	< 0.0529 U	0.399	< 0.0529 U	4.01	0.372	< 0.0529 U	< 0.0529 U	4.78
AE11-N1	AE11-N1-041714	4/17/2014	< 0.0524 U	< 0.0524 U	< 0.0524 U	0.566	< 0.0524 U	10.3	1.16	< 0.0524 U	< 0.0524 U	12.03
AE11-N1	AE11-N1-0.5-1.0-102212	10/22/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	72.5 J	< 0.0051 UJ	373 J	94.6 J	< 0.0051 UJ	< 0.0051 UJ	540.00
AE11-N1	AE11-N1-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	2460	974	< 0.0051 U	< 0.0051 U	3440.00
AE11-N2	AE11-N2-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	3.3	1.33	< 0.0051 U	< 0.0051 U	4.63
AE11-N2	AE11-N2-0.5-1.0-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	4.08	1.49	< 0.0051 U	< 0.0051 U	5.57
AE11-S1	AE11-S1-072114	7/21/2014	< 0.00512 U	< 0.00512 U	< 0.00512 U	< 0.00512 U	< 0.00512 U	0.173	< 0.00512 U	< 0.00512 U	< 0.00512 U	0.17
AE11-S1	AE11-S1-052114	5/21/2014	< 0.533 UJL	< 0.533 UJL	< 0.533 UJL	6.07 JL	< 0.533 UJL	60.4 JL	6.98 JL	< 0.533 UJL	< 0.533 UJL	73.45
AE11-S1	AE11-S1-041714	4/17/2014	< 1.05 UJ	< 1.05 UJ	< 1.05 UJ	< 1.05 UJ	< 1.05 UJ	133 J	13.4 J	< 1.05 UJ	< 1.05 UJ	146.40
AE11-S1	AE11-S1-0.0-0.5-102212	10/22/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	219 J	89.4 J	< 0.0051 UJ	< 0.0051 UJ	308.00
AE11-S1	AE11-S1-0.5-1.0-102212	10/22/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	852 J	289 J	< 0.0051 UJ	< 0.0051 UJ	1140.00
AE11-S1 Dup	FD102212-1	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	202 J	82.6 J	< 0.0051 U	< 0.0051 U	285.00
AE11-S2	AE11-S2-072114	7/21/2014	< 0.00509 U	< 0.00509 U	< 0.00509 U	< 0.00509 U	< 0.00509 U	0.313	< 0.00509 U	< 0.00509 U	< 0.00509 U	0.31
AE11-S2	AE11-S2-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.825	< 0.0051 U	< 0.0051 U	6.99	< 0.0051 U	< 0.0051 U	7.82
AE11-S2	AE11-S2-052114	5/21/2014	< 0.106 U	< 0.106 U	< 0.106 U	0.731	< 0.106 U	8.53	1.84	< 0.106 U	< 0.106 U	11.10
AE11-S2	AE11-S2-0.5-1.0-102212	10/22/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	31.2 J	11.7 J	< 0.0051 UJ	< 0.0051 UJ	42.80
AE11-S2	AE11-S2-041714	4/17/2014	< 1.07 UJ	< 1.07 UJ	< 1.07 UJ	< 1.07 UJ	< 1.07 UJ	127 J	13.7 J	< 1.07 UJ	< 1.07 UJ	140.70
AE11-SLAB 2	AE11-SLAB2-072114	7/21/2014	< 0.00512 U	< 0.00512 U	< 0.00512 U	< 0.00512 U	< 0.00512 U	0.586	0.0793	< 0.00512 U	< 0.00512 U	0.67
AE11-SLAB 2	AE11-SLAB2-0.0-0.5	10/29/2013	< 0.0532 U	< 0.0532 U	< 0.0532 U	6.64	< 0.0532 U	< 0.0532 U	0.0585 J	< 0.0532 U	< 0.0532 U	6.70
AE11-SLAB 2	AE11-SLAB2-052114	5/21/2014	< 2.64 UJL	< 2.64 UJL	< 2.64 UJL	41.4 JL	< 2.64 UJL	333 JL	39.0 JL	< 2.64 UJL	< 2.64 UJL	413.40
AE11-SLAB 3	AE11-SLAB3-0.0-0.5	10/29/2013	< 0.00528 U	< 0.00528 U	< 0.00528 U	0.509	< 0.00528 U	< 0.00528 U	0.00986 J	< 0.00528 U	< 0.00528 U	0.52
AE11-SLAB 13	AE11-SLAB-13-103114	10/31/2014	< 0.0499 U	< 0.0499 U	< 0.0499 U	< 0.0499 U	< 0.0499 U	< 0.0499 U	0.198	NA	NA	0.20
AE11-SLAB 14	AE11-SLAB-14-103114	10/31/2014	< 0.0512 U	< 0.0512 U	< 0.0512 U	< 0.0512 U	< 0.0512 U	< 0.0512 U	< 0.0512 U	NA	NA	0.00
AE11-E/SLAB 1	AE11-E/SLAB1-072114	7/21/2014	< 0.00512 U	< 0.00512 U	< 0.00512 U	0.0930	< 0.00512 U	0.149	< 0.00512 U	< 0.00512 U	< 0.00512 U	0.24
AE11-E/SLAB 1	AE11-E/SLAB1-0.5-1.0	10/29/2013	< 0.0533 U	< 0.0533 U	< 0.0533 U	2.38	< 0.0533 U	4.04	1.36	< 0.0533 U	< 0.0533 U	7.78
AE11-E/SLAB 1	AE11-E/SLAB1-0.0-0.5	10/29/2013	< 0.0535 UJ	< 0.0535 UJ	< 0.0535 UJ	4.96 J	< 0.0535 UJ	4.25 J	1.69 J	< 0.0535 UJ	< 0.0535 UJ	10.90
AE11-E/SLAB 1	AE11-E/SLAB1-052114	5/21/2014	< 0.159 U	< 0.159 U	< 0.159 U	3.57	< 0.159 U	21.1	4.13	< 0.159 U	< 0.159 U	28.80

Table 1. Summary of PCB Analytical Results, Confirmation Soil Samples
Former ASARCO Smelter Site
El Paso, Texas

Location	Sample ID	Sample Date	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	Total PCBs
AE11-E/slab 1	AE11-E/SLAB 1-041714	4/17/2014	< 0.528 UJ	< 0.528 UJ	< 0.528 UJ	< 0.528 UJ	< 0.528 UJ	47.8 J	4.80 J	< 0.528 UJ	< 0.528 UJ	52.60
AE11-E/SLAB 2	AE11-E/SLAB2-072114	7/21/2014	< 0.00512 U	< 0.00512 U	< 0.00512 U	< 0.00512 U	< 0.00512 U	0.231	< 0.00512 U	< 0.00512 U	< 0.00512 U	0.23
AE11-E/SLAB 2	AE11-ESLAB2-0.5-1.0	10/29/2013	< 0.0264 U	< 0.0264 U	< 0.0264 U	3.92	< 0.0264 U	< 0.0264 U	1.94	< 0.0264 U	< 0.0264 U	5.86
AE11-E/SLAB 2	AE11-ESLAB2-0.0-0.5	10/29/2013	< 0.105 UJ	< 0.105 UJ	< 0.105 UJ	12.2 J	< 0.105 UJ	5.23 J	6.03 J	< 0.105 UJ	< 0.105 UJ	23.50
AE11-E/SLAB 2	AE11-E/SLAB2-052114	5/21/2014	< 0.161 U	< 0.161 U	< 0.161 U	2.35	< 0.161 U	19.2	2.22	< 0.161 U	< 0.161 U	23.77
AE11-E/slab 2	AE11- E/SLAB 2-041714	4/17/2014	< 10.6 UJ	< 10.6 UJ	< 10.6 UJ	23.3 J	< 10.6 UJ	1110 J	110 J	< 10.6 UJ	< 10.6 UJ	1243.30
AE11-E/SLAB 3	AE11-ESLAB3-0.0-0.5	10/29/2013	< 0.0537 U	< 0.0537 U	< 0.0537 U	< 0.0537 U	< 0.0537 U	2.60	1.72	< 0.0537 U	< 0.0537 U	4.31
AE11-E/SLAB 4	AE11-ESLAB4-0.0-0.5	10/29/2013	< 0.0264 U	< 0.0264 U	< 0.0264 U	2.10	< 0.0264 U	2.13	2.43	< 0.0264 U	< 0.0264 U	6.67
AE11-E/SLAB 5	AE11-ESLAB5-0.0-0.5	10/29/2013	< 0.00525 U	< 0.00525 U	< 0.00525 U	0.427	< 0.00525 U	0.226	0.212	< 0.00525 U	< 0.00525 U	0.87
AE11-E/SLAB 6	AE11-E/SLAB6-072114	7/21/2014	< 0.00515 U	< 0.00515 U	< 0.00515 U	< 0.00515 U	< 0.00515 U	1.49	0.205	< 0.00515 U	< 0.00515 U	1.70
AE11-E/SLAB 6	AE11-ESLAB6-0.5-1.0	10/29/2013	< 0.0536 U	< 0.0536 U	< 0.0536 U	< 0.0536 U	< 0.0536 U	7.34	1.93	< 0.0536 U	< 0.0536 U	9.27
AE11-E/SLAB 6	AE11-ESLAB6-0.0-0.5	10/29/2013	< 0.105 UJ	< 0.105 UJ	< 0.105 UJ	< 0.105 UJ	< 0.105 UJ	9.43 J	1.72 J	< 0.105 UJ	< 0.105 UJ	11.20
AE11-E/SLAB 6	AE11-E/SLAB6-052114	5/21/2014	< 0.104 U	< 0.104 U	< 0.104 U	4.57	< 0.104 U	13.3	2.71	< 0.104 U	< 0.104 U	20.58
AE11-E/slab 6	AE11- E/ SLAB 6-041714	4/17/2014	< 5.32 UJ	< 5.32 UJ	< 5.32 UJ	25.7 J	< 5.32 UJ	1220 J	135 J	< 5.32 UJ	< 5.32 UJ	1380.70
AE11-E/SLAB 7	AE11-E/SLAB7-072114	7/21/2014	< 0.0103 U	< 0.0103 U	< 0.0103 U	< 0.0103 U	< 0.0103 U	1.88	0.192	< 0.0103 U	< 0.0103 U	2.07
AE11-E/SLAB 7	AE11-E/SLAB7-052114	5/21/2014	< 0.108 U	< 0.108 U	< 0.108 U	4.02	< 0.108 U	14.9	2.28	< 0.108 U	< 0.108 U	21.20
AE11-E/SLAB 7	AE11-ESLAB7-0.0-0.5	10/29/2013	< 0.268 UJ	< 0.268 UJ	< 0.268 UJ	< 0.268 UJ	< 0.268 UJ	52.2 J	10.0 J	< 0.268 UJ	< 0.268 UJ	62.30
AE11-E/slab 7	AE11- E/ SLAB 7-041714	4/17/2014	< 5.29 UJ	< 5.29 UJ	< 5.29 UJ	< 5.29 UJ	< 5.29 UJ	610 J	64.2 J	< 5.29 UJ	< 5.29 UJ	674.20
AE11-E/SLAB 8	AE11-ESLAB8-0.0-0.5	10/29/2013	< 0.0168 U	< 0.0168 U	< 0.0168 U	< 0.0168 U	< 0.0168 U	1.10	0.393	< 0.0168 U	< 0.0168 U	1.49
AE11-E/SLAB 8	AE11-ESLAB8-0.5-1.0	10/29/2013	< 0.0537 U	< 0.0537 U	< 0.0537 U	< 0.0537 U	< 0.0537 U	4.71	1.82	< 0.0537 U	< 0.0537 U	6.53
AE11-E/SLAB 9	AE11-ESLAB9-0.5-1.0	10/29/2013	< 0.0173 U	< 0.0173 U	< 0.0173 U	< 0.0173 U	< 0.0173 U	1.06	< 0.0173 U	< 0.0173 U	< 0.0173 U	1.06
AE11-E/SLAB 9	AE11-ESLAB9-0.0-0.5	10/29/2013	< 0.0293 U	< 0.0293 U	< 0.0293 U	< 0.0293 U	< 0.0293 U	2.62	0.470	< 0.0293 U	< 0.0293 U	3.09
ESLAB-17	ESLAB-17-0.5-1.0-031114	3/11/2014	< 0.00555 U	< 0.00555 U	< 0.00555 U	0.0190 J	< 0.00555 U	0.0349 J	0.0206 J	< 0.00555 U	< 0.00555 U	0.07
ESLAB-17	ESLAB-17-0.0-0.5-031114	3/11/2014	< 0.00548 U	< 0.00548 U	< 0.00548 U	0.0828	< 0.00548 U	0.187	0.125	< 0.00548 U	< 0.00548 U	0.39
ESLAB-18	ESLAB-18-0.5-1.0-031114	3/11/2014	< 0.00535 U	< 0.00535 U	< 0.00535 U	0.0523	< 0.00535 U	0.0224 J	< 0.00535 U	< 0.00535 U	< 0.00535 U	0.07
ESLAB-18	ESLAB-18-0.0-0.5-031114	3/11/2014	< 0.00546 U	< 0.00546 U	< 0.00546 U	0.0489	< 0.00546 U	0.0303 J	0.0108 J	< 0.00546 U	< 0.00546 U	0.09
AE12-2	AE12-2-061312	6/13/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.0288 J	< 0.0051 U	0.00687 J	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.04
ERM14	ERM14-0-0.5-060512	6/5/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	1.06	< 0.0051 U	< 0.0051 U	9.33	< 0.0051 U	< 0.0051 U	10.40
ERM8-2	ERM8-2-061312	6/13/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.102	< 0.0051 U	< 0.0051 U	0.0976	< 0.0051 U	< 0.0051 U	0.20
PCB-01	PCB-01-0-06-080111	8/1/2011	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.619	< 0.0051 U	< 0.0051 U	6.5	< 0.0051 U	< 0.0051 U	7.12
PCB01-2	PCB01-2-061312	6/13/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.0257 J	< 0.0051 U	< 0.0051 U	0.113	< 0.0051 U	< 0.0051 U	0.14
PCB-02	PCB-02-0-06-080111	8/1/2011	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.752	< 0.0051 U	< 0.0051 U	5.12	< 0.0051 U	< 0.0051 U	5.87
PCB-02	PCB-02-0.5-1.0-102312	10/23/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.873	< 0.0051 U	< 0.0051 U	9.03	< 0.0051 U	< 0.0051 U	9.91
PCB02-2	PCB02-2-061312	6/13/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.398	< 0.0051 U	< 0.0051 U	1.44	< 0.0051 U	< 0.0051 U	1.83
PCB-02-E1	PCB-02-E1-0.5-1.0-102312	10/23/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.0237 J	< 0.0051 U	< 0.0051 U	0.179	< 0.0051 U	< 0.0051 U	0.20
PCB-02-E1	PCB-02-E1-0.0-0.5-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	2.06 J	< 0.0051 UJ	< 0.0051 UJ	11.5 J	< 0.0051 UJ	< 0.0051 UJ	13.60
PCB-02-E2	PCB-02-E2-0.5-1.0-102312	10/23/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.0198 J	< 0.0051 U	< 0.0051 U	0.232	< 0.0051 U	< 0.0051 U	0.25
PCB-02-E2	PCB-02-E2-0.0-0.5-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	2.44 J	< 0.0051 UJ	< 0.0051 UJ	28.2 J	< 0.0051 UJ	< 0.0051 UJ	30.60
PCB-02-N1	PCB-02-N1-0.5-1.0-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	2.3 J	< 0.0051 UJ	< 0.0051 UJ	2.30
PCB-02-N1	PCB-02-N1-0.0-0.5-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	1.46 J	< 0.0051 UJ	< 0.0051 UJ	22.6 J	< 0.0051 UJ	< 0.0051 UJ	24.00
PCB-02-N2	PCB-02-N2-0.0-0.5-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	1.25 J	< 0.0051 UJ	< 0.0051 UJ	16.3 J	< 0.0051 UJ	< 0.0051 UJ	17.60
PCB-02-N2	PCB-02-N2-0.5-1.0-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	1.51 J	< 0.0051 UJ	< 0.0051 UJ	20.9 J	< 0.0051 UJ	< 0.0051 UJ	22.40
PCB-02-W1	PCB-02-W1-0.5-1.0-102312	10/23/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.0521	< 0.0051 U	< 0.0051 U	0.83	< 0.0051 U	< 0.0051 U	0.88
PCB-02-W1	PCB-02-W1-0.0-0.5-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	1.26 J	< 0.0051 UJ	< 0.0051 UJ	16.5 J	< 0.0051 UJ	< 0.0051 UJ	17.80
PCB-02-W2	PCB-02-W2-0.5-1.0-102312	10/23/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	3.8 J	< 0.0051 UJ	< 0.0051 UJ	3.80
PCB-02-W2	PCB-02-W2-0.0-0.5-102312	10/23/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.741	< 0.0051 U	< 0.0051 U	10.4	< 0.0051 U	< 0.0051 U	11.10
PCB-03	PCB-03-0.5-1.0-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.14	< 0.0051 U	< 0.0051 U	0.574	< 0.0051 U	< 0.0051 U	0.71
PCB-03	PCB03-0-0.5-060512	6/5/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.44	< 0.0051 U	< 0.0051 U	2.56 J	< 0.0051 U	< 0.0051 U	3.00

**Table 1. Summary of PCB Analytical Results, Confirmation Soil Samples
Former ASARCO Smelter Site
El Paso, Texas**

Location	Sample ID	Sample Date	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	Total PCBs
PCB-03-E1	PCB-03-E1-0.5-1.0-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.0697	< 0.0051 U	< 0.0051 U	0.211	< 0.0051 U	< 0.0051 U	0.28
PCB-03-E1	PCB-03-E1-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.852	< 0.0051 U	< 0.0051 U	2.76	< 0.0051 U	< 0.0051 U	3.62
PCB-03-E2	PCB-03-E2-0.5-1.0-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.124	< 0.0051 U	< 0.0051 U	0.625	< 0.0051 U	< 0.0051 U	0.75
PCB-03-E2	PCB-03-E2-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.345 J	< 0.0051 U	< 0.0051 U	1.42	< 0.0051 U	< 0.0051 U	1.76
PCB-03-N1	PCB-03-N1-0.5-1.0-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.215	< 0.0051 U	< 0.0051 U	0.673 J	< 0.0051 U	< 0.0051 U	0.89
PCB-03-N1	PCB-03-N1-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	1.04	< 0.0051 U	< 0.0051 U	2.3	< 0.0051 U	< 0.0051 U	3.34
PCB-03-N2	PCB-03-N2-0.5-1.0-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.0895	< 0.0051 U	< 0.0051 U	0.164	< 0.0051 U	< 0.0051 U	0.25
PCB-03-N2	PCB-03-N2-0.0-0.5-102212	10/22/2012	< 0.0051 UJ	< 0.0051 UJ	< 0.0051 UJ	1.64 J	< 0.0051 UJ	< 0.0051 UJ	3.13 J	< 0.0051 UJ	< 0.0051 UJ	4.77
PCB-03-S1	PCB-03-S1-0.5-1.0-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.187	< 0.0051 U	0.864	1.19	< 0.0051 U	< 0.0051 U	2.24
PCB-03-S1	PCB-03-S1-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.503	< 0.0051 U	< 0.0051 U	4.03	< 0.0051 U	< 0.0051 U	4.54
PCB-03-S2	PCB-03-S2-0.5-1.0-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.0636	< 0.0051 U	< 0.0051 U	0.688	< 0.0051 U	< 0.0051 U	0.75
PCB-03-S2	PCB-03-S2-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.364	< 0.0051 U	< 0.0051 U	2.93	< 0.0051 U	< 0.0051 U	3.29
PCB-03-W1	PCB-03-W1-0.5-1.0-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.0916	< 0.0051 U	< 0.0051 U	0.115	< 0.0051 U	< 0.0051 U	0.21
PCB-03-W1	PCB-03-W1-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.762	< 0.0051 U	< 0.0051 U	1.99	< 0.0051 U	< 0.0051 U	2.75
PCB-03-W2	PCB-03-W2-0.5-1.0-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.0502	< 0.0051 U	< 0.0051 U	0.0612	< 0.0051 U	< 0.0051 U	0.11
PCB-03-W2	PCB-03-W2-0.0-0.5-102212	10/22/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	22 J	< 0.0051 U	16.6 J	11 J	< 0.0051 U	< 0.0051 U	49.50
PCB-03-W2-N1	PCB-03-W2-N1-0-6-010713	1/7/2013	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.437	< 0.0051 U	< 0.0051 U	0.781	< 0.0051 U	< 0.0051 U	1.22
PCB-03-W2-N2	PCB-03-W2-N2-0-6-010713	1/7/2013	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.195 J	< 0.0051 U	< 0.0051 U	0.323 J	< 0.0051 U	< 0.0051 U	0.52
PCB-03-W2-N3	PCB-03-W2-N3-0-6-010713	1/7/2013	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.541 J	< 0.0051 U	< 0.0051 U	1.17 J	< 0.0051 U	< 0.0051 U	1.71
PCB-03-W2-N3 Dup	FD010713-1	1/7/2013	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.348 J	< 0.0051 U	< 0.0051 U	0.603 J	< 0.0051 U	< 0.0051 U	0.95
PCB-03-W2-S1	PCB-03-W2-S1-0-6-010713	1/7/2013	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.296 J	< 0.0051 U	< 0.0051 U	1.07 J	< 0.0051 U	< 0.0051 U	1.36
PCB-03-W2-S2	PCB-03-W2-S2-0-6-010713	1/7/2013	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.385	< 0.0051 U	< 0.0051 U	0.706	< 0.0051 U	< 0.0051 U	1.09
PCB-03-W2-S3	PCB-03-W2-S3-0-6-010713	1/7/2013	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.431	< 0.0051 U	< 0.0051 U	0.907	< 0.0051 U	< 0.0051 U	1.34
PCB-03-W2-W1	PCB-03-W2-W1-0-6-010713	1/7/2013	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.423	< 0.0051 U	< 0.0051 U	1.07	< 0.0051 U	< 0.0051 U	1.49
PCB-03-W2-W2	PCB-03-W2-W2-0-6-010713	1/7/2013	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.139 J	< 0.0051 U	< 0.0051 U	0.33 J	< 0.0051 U	< 0.0051 U	0.47
PCB-03-W2-W3	PCB-03-W2-W3-0-6-010713	1/7/2013	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.159 J	< 0.0051 U	< 0.0051 U	0.642	< 0.0051 U	< 0.0051 U	0.80
PCB04-2	PCB04-2-061312	6/13/2012	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.0109 J	< 0.0051 U	< 0.0051 U	< 0.0051 U	0.01

Notes:

TRRP = Texas Risk Reduction Program

PCL = Protective Concentration Level

C/I = Direct Contact with Commercial/Industrial Soil

mg/Kg = milligrams per kilogram

"-" = Not applicable

< = Analyte not detected above listed sample detection limit

J = The analyte was positively identified; however, the associated numerical value is an estimated concentration only.

JH = The analyte was positively identified; however, the associated numerical value is an estimated concentration only. The sample result is biased high in sample.

JL = The analyte was positively identified; however, the associated numerical value is an estimated concentration only. The sample result is biased low in sample.

U = The analyte was

UB = Analyte considered non-detect at the listed value due to associated blank contamination.

UJ = The analyte was not detected above the reported sample detection limit. However, the reported limit is approximate and may or may not represent the actual limit of detection.

UJL = The analyte was not detected above the reported sample detection limit. However, the reported limit is approximate and may or may not represent the actual limit of detection.