

Table 3. Summary of Confirmation Analytical Results - Category II, East Property
Former ASARCO Smelter Site - El Paso, Texas

Location ID	Sample Date	Antimony mg/kg	Arsenic mg/kg	Barium mg/kg	Cadmium mg/kg	Chromium mg/kg	Cobalt mg/kg	Copper mg/kg	Iron mg/kg	Lead mg/kg	Mercury mg/kg	Molybdenum mg/kg	Nickel mg/kg	Selenium mg/kg	Silver mg/kg	Zinc mg/kg
TRRP C/I PCL		310	320	120,000	760	75,000	2,600	94,000	--	1,600	20	4,500	8,600	4,900	2,300	250,000
A15	9/12/2014	0.581 J	14.6	84.4	4.18	5.32	3.60	131	12000	129	0.0604	0.879 J	4.04	0.731	0.439	119
A16	9/3/2014	1.08	25.5	86.4	7.73	6.00	4.46	222	12500	217	0.0933 J	1.07 J	4.59	0.982	0.766	176
A17	9/12/2014	2.22	82.6	134	26.5	8.77	6.57	832	15900	763	0.438	3.10	8.98	2.77	3.14	527
A18	9/12/2014	1.42	46.4	139	13.1	9.93	6.10	389	15500	373	0.327	3.54	8.15	2.13	2.03	281
AA15	9/12/2014	0.530 J	19.3	124	8.27	6.37	4.37	186	12100	184	0.0945	0.718 J	4.69	0.649	0.644	153
AA16	9/15/2014	< 0.454 U	10.8	93.7	3.66	6.90	4.55	78.5	14300	71.2	0.0507	< 0.454 U	5.86	0.661	0.170 J	85.4
AA17	9/14/2014	< 0.496 U	11.9	130	2.06	8.30	5.27	37.4	16100	36.9	0.0357	1.20 J	8.42	1.36	0.143 J	64.1
FD09152014 (Field Duplicate for AA17)	9/15/2014	< 0.496 U	11.9	130	2.06	8.30	5.27	37.4	16100	36.9	0.0357	1.20 J	8.42	1.36	0.143 J	64.1
AA18	9/10/2014	0.589 J	12.0	122	1.12	7.38	4.48	41.3	13700	40.4	0.0319 J	1.04 J	6.06	1.30	0.169 J	58.8
B13	3/17/2014	< 0.260 U	6.31	86.2	0.823	3.29	3.43	27.2	6200	25.7	0.0195 J	0.677 J	4.20	0.214 J	< 0.107 U	40.2
B14	9/12/2014	< 0.537 U	7.50	291	0.433	16.5	13.4	34.9	33200	34.5	0.0988	2.23	18.0	1.61	< 0.107 U	93.7
B15	7/18/2014	0.699 J	11.7	53.9	3.03	2.46	2.14	102	4020	110	0.0354 J	0.311 J	2.56	< 0.161 U	0.212 J	73.0
B16	9/14/2014	0.700 J	17.5	146	5.87	7.50	4.09	141	12200	149	0.0861	0.728 J	4.98	0.993	0.496	116
FD09142014 (Field Duplicate for B16)	9/12/2014	0.700 J	17.5	146	5.87	7.50	4.09	141	12200	149	0.0861	0.728 J	4.98	0.993	0.496	116
B17	9/12/2014	< 0.451 U	9.40	86.6	1.50	6.23	4.10	35.4	14200	33.9	0.0276 J	0.501 J	4.95	1.05	0.137 J	49.3
B18	9/11/2014	0.519 J	17.5	108	4.09	7.73	4.67	123	14000	121	0.0939	1.14 J	6.50	2.12	0.520	108
B19	9/12/2014	< 0.473 U	13.2	108	1.76	9.31	4.45	65.2	13500	54.3	0.0600	1.78 J	6.69	1.80	0.322	79.1
BB15	9/11/2014	1.49	46.4	79.8	19.1	5.62	5.59	481	16200	508	0.201	1.51 J	6.47	1.23	1.41	369
BB16	9/15/2014	0.702 J	24.2	84.8	8.04	5.55	4.85	209	15800	215	0.124	0.899 J	5.47	0.804	0.661	159
BB17	9/11/2014	1.49	36.3	121	9.18	7.37	5.81	270	16600	279	0.167	2.00 J	7.89	1.45	1.10	214
FD09112014 (Field Duplicate for BB17)	9/11/2014	1.68	41.1	107	10.8	8.47	7.55	295	18300	312	0.162	2.35	9.40	1.56	1.21	242
BB18	9/11/2014	2.11	60.7	127	13.2	12.8	6.64	387	16700	379	0.236	4.42	13.6	1.55	1.20	304
C12	3/17/2014	< 0.212 U	5.08	111	0.659	4.85	5.61	6.41	10000	7.20	< 0.00917 U	0.318 J	5.41	< 0.157 U	< 0.0871 U	27.5
C13	3/17/2014	< 0.242 U	3.17	95.8	0.500	3.49	3.49	7.18	6460	9.82	< 0.00978 U	0.528 J	4.35	0.324 J	< 0.0996 U	25.6
C14	9/12/2014	1.04	21.4	461	4.35	10.7	6.01	102	15000	118	0.102	1.32 J	8.37	1.77	0.382	185
C15	9/11/2014	1.27	26.4	111	7.28	8.38	4.77	242	12700	284	0.103	1.25 J	6.12	1.06	0.879	190
C16	7/18/2014	1.25 J	20.0	75.4	7.93	3.53	2.60	181	4750	185	0.0829 J	0.639 J	3.44	0.569 J	0.652	131
C17	9/11/2014	0.690 J	25.1	89.0	7.23	6.83	4.42	178	13500	193	0.121	1.19 J	5.65	1.56	0.608	144
C18	9/11/2014	< 0.493 U	11.7	215	0.451	11.1	9.02	25.9	21500	17.9	0.0253 J	1.19 J	13.6	1.50	< 0.0986 U	61.3
C19	9/11/2014	< 0.518 U	10.2	347	1.40	41.1	14.2	85.0	24400	45.2	0.0615	2.37	37.4	1.78	0.166 J	83.0
CC15	9/12/2014	1.73	79.3	83.7	27.2	4.63	6.16	750	15900	668	0.381	2.23	6.80	1.32	2.08	510
CC16	9/12/2014	1.36	55.3	66.8	19.8	5.14	5.63	570	17100	581	0.311	1.54 J	5.88	1.35	1.50	425
CC17	9/11/2014	1.93	50.4	97.2	14.5	6.07	6.33	410	18100	441	0.174	3.26	7.94	1.34	1.54	355
CC18	9/11/2014	2.04	37.5	180	6.87	24.0	8.57	190	24000	187	0.141	7.88	29.9	2.14	0.800	196
D11	3/17/2014	0.355 J	7.30	125	0.783	4.79	2.95	20.7	5650	17.9	0.0119 J	0.638 J	4.71	0.309 J	< 0.0972 U	33.5
D12	2/26/2014	1.01 J	18.8	111	3.68	4.30	4.42	184	6970	114	0.0684 J	6.45	4.56	0.443 J	< 0.0992 U	286
D13	3/17/2014	< 0.259 U	6.67	224	1.23	4.54	7.78	40.3	12600	29.4	0.0721 J	0.859 J	6.73	< 0.192 U	< 0.107 U	56.4
D14	7/21/2014	0.437 J	10.3	95.8	1.29	4.84	5.51	63.7	8830	49.6	0.0708 J	0.981 J	5.54	< 0.170 U	< 0.0946 U	68.6

Table 3. Summary of Confirmation Analytical Results - Category II, East Property
Former ASARCO Smelter Site - El Paso, Texas

Location ID	Sample Date	Antimony mg/kg	Arsenic mg/kg	Barium mg/kg	Cadmium mg/kg	Chromium mg/kg	Cobalt mg/kg	Copper mg/kg	Iron mg/kg	Lead mg/kg	Mercury mg/kg	Molybdenum mg/kg	Nickel mg/kg	Selenium mg/kg	Silver mg/kg	Zinc mg/kg
TRRP C/I PCL		310	320	120,000	760	75,000	2,600	94,000	--	1,600	20	4,500	8,600	4,900	2,300	250,000
D15	9/3/2014	0.833 J	15.5	104	3.21	8.04	4.52	134	11600	132	0.0662 J	1.08 J	5.30	0.787	0.593	121
D16	9/11/2014	1.91	36.8	198	11.3	11.1	6.45	355	12400	318	0.181	2.03	8.72	1.32	1.54	256
D17	7/18/2014	1.35 J	31.9	70.5	8.36	3.00	2.66	303	4310	284	0.125 J	1.25 J	4.05	0.472 J	1.18	187
D18	9/11/2014	< 0.505 U	4.76	101	< 0.101 U	6.17	3.65	5.78	10900	4.95	< 0.0144 U	< 0.505 U	4.47	0.661	< 0.101 U	29.4
DD15	9/14/2014	2.22	51.1	125	16.7	8.40	5.92	426	15500	408	0.207	3.13	7.75	1.87	1.76	321
DD16	9/12/2014	1.61	56.8	93.6	20.2	5.79	5.94	580	17700	557	0.269	3.26	6.58	1.31	1.80	419
DD17	9/12/2014	1.43	49.6	75.9	17.9	4.68	5.16	436	17100	489	0.222	1.67 J	5.68	1.10	1.25	344
DD18	9/12/2014	1.57	42.1	113	16.0	7.04	6.55	432	21100	476	0.202	2.67	7.57	1.21	1.77	362
FD09122014 (Field Duplicate for DD18)	9/12/2014	1.51	41.9	111	15.7	7.01	6.71	439	20000	475	0.177	3.13	7.73	1.20	1.73	370
DD19	9/12/2014	1.19	32.4	105	11.3	6.30	6.04	344	19600	342	0.100	2.85	6.60	1.02	1.09	303
DD20	8/27/2014	< 0.499 U	21.2	442	2.51	7.00	8.62	104	29000	80.8	0.0480	4.70	6.76	1.23	0.335	136
DD21	7/16/2014	0.457 J	11.0	68.9 J	0.803	5.55	3.82	29.3	7540	32.3 J	0.0630	2.69	6.03	5.67	0.173 J	52.3
E11	2/24/2014	0.361 J	3.98	80.6	0.497	4.80	3.39	10.4	8730	8.83	< 0.00938 U	0.941 J	3.85	0.415 J	< 0.0963 U	27.7
E12	3/17/2014	< 0.220 U	6.46	158	0.803	5.38	5.65	10.8	12600	11.7	< 0.0113 U	0.564 J	5.72	< 0.163 U	< 0.0906 U	44.1
E13	2/24/2014	0.595 J	6.65	177	0.689	4.70	4.82	15.2	14900	12.5	0.0134 JH	1.26 J	4.56	0.411 J	< 0.103 U	40.9
E14	7/21/2014	< 0.233 U	6.36	193	0.976	4.55	6.50	22.6	12100	17.9	0.0152 J	0.413 J	6.04	< 0.173 U	< 0.0961 U	38.2
E15	9/3/2014	1.27	16.6	140	4.19	12.1	4.70	178	11600	259	0.260 J	2.62	5.86	1.10	0.864	193
E16	9/3/2014	1.11	24.9	127	6.25	9.35	5.21	230	13200	235	0.0893 J	1.95 J	6.14	1.24	1.03	188
E18	9/11/2014	< 0.494 U	9.72	164	0.113 J	8.14	4.50	8.03	13100	9.44	< 0.0147 U	< 0.494 U	5.55	1.35	< 0.0988 U	35.1
EE14	8/27/2014	0.470 J	14.6	111	1.85	8.65	6.13	87.2	17400	61.3	0.0393 J	2.42	8.97	1.31	0.274	98.4
EE15	9/12/2014	1.74	35.2	156	8.38	11.0	7.52	309	20500	240	0.0975	6.93	14.3	1.79	1.08	260
EE16	8/27/2014	2.19	47.8	322	9.00	20.4	9.90	258	27800	255	0.193	9.89	34.9	2.49	1.18	281
EE17	9/12/2014	1.99	55.7	157	12.6	11.5	6.78	359	20200	380	0.237	3.78	12.2	1.55	1.62	269
EE18	9/12/2014	1.14	41.3	256	9.14	7.04	7.29	277	23500	278	0.151	6.33	7.76	1.21	0.912	228
EE19	9/12/2014	0.737 J	30.7	250	5.56	5.69	7.43	182	25100	183	0.0799	5.35	6.70	0.763	0.543	161
EE20	8/27/2014	< 0.451 U	13.2	530	0.945	5.83	8.12	41.4	27300	46.2	0.0378 J	5.53	5.93	1.12	0.187	81.2
EE21	7/16/2014	2.64	17.5	313 J	2.84	4.59	6.38	105	20800	105 J	0.0385	3.08	4.32	0.595 J	0.167 J	131
F10	3/5/2014	0.562 J	17.8	125	0.743	7.88	3.62	15.7	9110	14.9	0.0213 J	< 0.125 UB	5.46	0.640 J	< 0.110 U	32.9
F11	2/24/2014	< 0.249 U	3.05	92.6	0.369 J	3.82	3.27	4.33	9210	5.24	< 0.00997 U	0.577 J	3.64	0.404 J	< 0.102 U	20.9
F12	2/24/2014	< 0.263 U	5.07	73.6	0.526	4.03	3.39	10.1	9510	10.7	< 0.00959 U	0.877 J	3.75	0.461 J	< 0.108 U	28.2
F13	2/24/2014	1.08 J	7.23	156	0.732	6.22	3.88	12.0	8950	19.7	0.0134 JH	1.04 J	5.20	0.414 J	< 0.101 U	31.9
F14	2/24/2014	2.03	14.0	140	1.22	6.33	4.34	32.6	16600	23.9	0.109 JH	0.959 J	5.36	1.29	< 0.111 U	45.6
F15	7/21/2014	0.652 J	16.8	103	4.20	3.89	4.56	156	7380	154	0.0421 J	0.859 J	4.78	0.512 J	0.325 J	127
F16	9/3/2014	0.496 J	7.09	82.7	1.38	9.37	5.01	58.1	14600	84.2	0.0183 J	0.599 J	4.41	0.670	0.207	71.7
F17	9/11/2014	1.07	23.0	103	8.87	7.88	4.32	251	11300	248	0.113	0.740 J	5.67	0.951	0.820	170
F18	9/11/2014	2.25	80.1	199	23.3	13.1	7.23	654	16700	638	1.05	3.45	11.2	3.51	3.09	438
F2	3/25/2014	< 0.263 UJL	1.56 J	48.6 JL	0.327 J	3.76	2.23	8.11	4870	6.17	< 0.00877 UB	< 0.123 U	2.52	< 0.195 U	< 0.108 U	15.2
FF14	7/18/2014	0.351 J	5.62	71.7	1.43	2.69	3.42	37.2	7250	30.8	0.0194 J	0.730 J	3.86	< 0.155 U	< 0.0859 U	47.8
FF15	7/18/2014	1.46 J	34.7	118	3.67	4.70	3.92	143	6550	101	0.0784 J	3.39	5.91	0.662 J	0.219 J	136
G1	3/25/2014	< 0.216 UJL	2.85	44.4 JL	1.56	4.32	2.84	19.4	5330	19.3	0.0191 JL	0.185 J	2.88	< 0.160 U	< 0.0890 U	27.5
G10	3/5/2014	< 0.279 U	6.17	139	0.524	4.87	3.12	16.5	5940	13.6	< 0.0113 U	< 0.131 UB	4.61	1.02 J	< 0.115 U	29.6
G11	2/21/2014	0.725 J	7.21	130	1.26	4.91	5.57	111	9300	17.3	0.0208 JH	2.54	4.78	1.19	< 0.102 U	122
G12	2/24/2014	< 0.240 U	3.83	86.0	0.484	4.65	3.70	15.2	12800	7.85	< 0.00938 U	1.52 J	4.18	0.499 J	< 0.0988 U	31.4

Table 3. Summary of Confirmation Analytical Results - Category II, East Property
Former ASARCO Smelter Site - El Paso, Texas

Location ID	Sample Date	Antimony mg/kg	Arsenic mg/kg	Barium mg/kg	Cadmium mg/kg	Chromium mg/kg	Cobalt mg/kg	Copper mg/kg	Iron mg/kg	Lead mg/kg	Mercury mg/kg	Molybdenum mg/kg	Nickel mg/kg	Selenium mg/kg	Silver mg/kg	Zinc mg/kg	
TRRP C/I PCL		310	320	120,000	760	75,000	2,600	94,000	--	1,600	20	4,500	8,600	4,900	2,300	250,000	
G13	2/24/2014	1.28 J	8.70	135	0.919	7.19	5.25	26.2	8430	21.6	0.0244 JH	3.02	6.13	1.92	< 0.110 U	68.8	
G14	2/24/2014	4.90	41.3	149	2.67	6.71	4.53	137	9240	110	0.362 JH	2.09 J	6.24	2.17	0.264 J	118	
G15	4/3/2014	1.55 JL	24.6	119	6.00	5.88	5.85	195	13000 JH	163	0.214 JL	1.38 J	7.00	1.08	< 0.113 U	170	
G16	9/3/2014	5.45	27.9	153	7.28	9.01	5.90	259	13300	292	0.344 J	3.66	7.57	1.68	1.26	256	
G17	9/11/2014	0.530 J	11.9	80.3	4.71	6.67	3.74	114	10300	147	0.0451	< 0.500 U	4.46	0.728	0.272	95.1	
G18	9/12/2014	1.82	47.2	131	13500	15.6	9.89	5.38	325	13500	343	0.330	1.69 J	7.45	2.50	1.26	286
G2	3/25/2014	< 0.230 UJL	7.09	57.6 JL	1.53	4.13	2.69	32.3	5300	40.1	< 0.0105 UB	0.302 J	3.32	0.174 J	< 0.0948 U	39.8	
G3	3/25/2014	0.478 JL	7.69	130 JL	2.61	4.63	2.49	39.3	5400	38.4	0.0652 JL	0.357 J	3.84	0.514 J	< 0.0871 U	55.3	
G4	3/19/2014	6.05	< 0.122 U	132	0.669	6.57	2.80	6.85	5000	6.05	< 0.0101 U	1.23 J	5.65	< 0.167 U	< 0.0927 U	20.3	
G5	3/7/2014	0.310 J	6.16	117	1.46	3.71	2.26	31.7	4200	36.3	0.0677 J	0.179 J	3.25	0.325 J	< 0.0852 U	33.9	
GG13	8/27/2014	< 0.504 U	8.46	134	0.431	8.68	5.42	28.2	16200	18.5	0.0170 J	1.25 J	6.53	0.966	< 0.101 U	52.3	
GG14	7/18/2014	< 0.266 U	5.55	184	0.723	4.39	3.82	20.9	6750	16.0	< 0.0109 UJ	0.841 J	5.42	0.315 J	< 0.109 U	33.6	
GG15	8/27/2014	< 0.498 U	15.1	188	0.847	12.6	5.73	39.5	15900	29.3	0.0306 J	1.54 J	9.61	1.06	0.131 J	63.5	
H1	3/25/2014	0.714 JL	13.5	117 JL	3.56	5.29	3.12	61.9	5930	73.8	0.211 JL	0.618 J	4.04	0.582 J	< 0.0977 U	72.2	
H10	3/5/2014	< 0.252 U	7.94	85.9	0.440 J	5.06	3.37	9.44	6630	15.1	0.0165 J	< 0.118 UB	5.31	2.14	< 0.104 U	22.6	
H11	2/25/2014	< 0.247 U	7.61	81.0	0.295 J	2.67	2.56	11.7	5020	5.07	< 0.00934 U	0.933 J	3.59	1.08	< 0.102 U	21.4	
H12	2/25/2014	< 0.256 U	4.10	96.5	0.469 J	3.10	5.14	29.4	4810	5.94	0.0423 JH	1.57 J	3.55	0.794 J	< 0.105 U	124	
H13	2/25/2014	0.849 J	10.8	93.4	0.549	4.38	3.92	21.4	9590	10.2	0.0147 JH	1.61 J	4.51	0.605 J	< 0.108 U	40.4	
H14	2/25/2014	1.25 J	14.2	196	0.961	5.17	5.00	94.4	5510	21.2	0.0456 JH	2.31	5.45	1.64	< 0.0985 U	120	
H15	4/3/2014	0.492 J	6.30	195	1.54	4.93	5.57	62.0	6950	23.7	0.0408 J	1.10 J	7.04	0.489 J	< 0.105 U	123	
H16	8/28/2014	< 0.481 UJL	8.49	110 JH	1.10	10.8	5.06	38.3	14100	38.6 JL	0.0301 J	0.884 J	6.60	1.79	0.150 J	66.2	
H17	9/3/2014	1.15	23.7	111	5.65	7.94	6.83	182	13300	168	0.132 J	2.00	6.08	2.33	0.663	237	
H18	9/11/2014	0.894 J	17.0	120	4.53	7.52	4.59	111	13000	113	0.0895	0.714 J	5.53	2.45	0.299	98.6	
H19	10/2/2014	< 0.509 U	7.91	114	1.60	8.14	5.03	52.0	14600	53.4	0.0362 J	0.757 J	6.23	1.32	0.207	69.7	
H2	8/25/2014	< 0.529 UJL	4.38	144 JH	0.533	17.8	6.60	19.0	18000	21.6 JL	< 0.0170 U	0.696 J	10.8	1.44	< 0.106 U	54.7	
H3	3/25/2014	< 0.274 UJL	4.44	64.1 JL	0.938	5.16	3.28	22.6	6170	25.5	< 0.0112 UB	0.330 J	3.70	0.331 J	< 0.113 U	34.9	
H4	3/6/2014	1.24 J	26.3	188	6.43	4.54	3.01	148	5840	204	0.275	1.09 J	4.26	0.979 J	0.811	148	
H5	3/26/2014	1.05 JL	7.85	134 JL	1.48	6.60	4.14	54.7	8090 JL	33.5 JL	0.0617 J	2.96 JL	5.89	0.296 JL	< 0.105 U	93.9	
H6	3/6/2014	0.830 J	19.3	100	5.06	4.57	3.02	85.3	5340	87.3	0.134	0.652 J	4.64	0.470 J	0.116 J	98.6	
H7	3/26/2014	4.09 JL	38.2	123 JL	7.16	6.57	4.53	172	7750 JL	201 JL	0.655	3.82 JL	6.07	1.22 JL	0.811	188	
H8	3/26/2014	3.07 JL	22.2	112 JL	6.20	6.82	5.94	86.7	9100	122	0.940 JL	1.90 J	7.66	1.66	< 0.111 U	155	
H9	3/5/2014	< 0.265 U	6.52	128	0.704	5.65	4.32	18.1	8030	22.6	< 0.0105 U	< 0.124 UB	6.32	0.648 J	< 0.109 U	35.3	
HH12	7/17/2014	0.951 JL	25.9	139	1.58	6.89	5.75	108	14100 JL	59.8	0.0634	3.94	6.88	0.658 J	0.216 J	142	
HH13	7/17/2014	0.333 JL	10.0	127	0.166 J	5.22	4.76	14.2	13600 JL	13.1	0.0161 J	0.699	5.34	< 0.253 U	< 0.116 U	43.2	
HH14	7/17/2014	1.06 JL	23.2	133	0.127 J	7.35	5.55	17.4	12300 JL	15.9	0.0242	1.20	6.71	< 0.298 U	< 0.137 U	40.6	
I10	3/5/2014	< 0.264 U	12.4	72.3	0.482 J	4.81	3.71	12.1	7940	8.88	< 0.0100 U	5.33	5.45	4.76	< 0.109 U	24.8	
I11	2/25/2014	0.722 J	13.4	60.3	0.682	5.54	4.31	17.4	8960	14.9	0.0196 JH	11.8	6.61	5.61	< 0.110 U	35.8	
I12	2/25/2014	0.467 J	9.06	84.8	0.540	4.16	4.62	15.8	12600	8.92	< 0.0110 U	7.71	4.68	2.87	< 0.109 U	58.0	
I13	2/21/2014	0.868 J	7.72	81.2	0.635	3.19	3.46	25.4	9140	18.5	0.0453 JH	2.44	3.78	0.610 J	< 0.106 U	89.7	
I14	2/25/2014	1.26 J	10.0	108	0.660	5.93	4.35	26.4	9040	19.0	0.0452 JH	2.99	5.66	2.06	< 0.114 U	54.4	
I15	4/3/2014	1.48 J	30.2	239	7.85	6.71	11.9	402	12300	216	0.421	10.9	8.87	5.41	0.902	870	
I16	8/28/2014	< 0.477 UJL	9.55	76.7 JH	2.43	7.72	4.33	71.9	11000	76.5 JL	0.0738	0.730 J	4.98	1.30	0.258	96.2	
I17	8/28/2014	< 0.489 UJL	9.96	94.5 JH	2.46	8.18	5.28	89.6	12700	79.6 JL	0.0311 J	1.21 J	5.03	1.29	0.232	156	
I18	4/14/2014	1.39 JL	34.9	99.8	10.1	3.54	3.01	29.6	5650 JH	272	0.159 JL	1.13 J	4.23	0.766 J	0.358 J	212	
I19	9/11/2014	< 0.494 U	4.39	91.0	0.227 J	8.61	5.21	10.0	14200	9.82	< 0.0160 U	< 0.494 U	6.58	0.745	< 0.0988 U	32.4	
I2	3/26/2014	0.946 JL	8.21	125 JL	2.03	6.55	4.03	37.3	7610 JL	34.0 JL	0.0364 J	0.596 JL	6.68	0.375 JL	< 0.110 U	40.0	

Table 3. Summary of Confirmation Analytical Results - Category II, East Property
Former ASARCO Smelter Site - El Paso, Texas

Location ID	Sample Date	Antimony mg/kg	Arsenic mg/kg	Barium mg/kg	Cadmium mg/kg	Chromium mg/kg	Cobalt mg/kg	Copper mg/kg	Iron mg/kg	Lead mg/kg	Mercury mg/kg	Molybdenum mg/kg	Nickel mg/kg	Selenium mg/kg	Silver mg/kg	Zinc mg/kg
TRRP C/I PCL		310	320	120,000	760	75,000	2,600	94,000	--	1,600	20	4,500	8,600	4,900	2,300	250,000
I3	3/26/2014	0.355 JL	2.86	97.1 JL	0.891	6.30	3.24	10.1	6820 JL	11.3 JL	0.0865 J	0.510 JL	5.32	0.662 JL	< 0.114 U	23.1
I4	3/26/2014	0.900 JL	9.94	101 JL	2.88	7.55	4.07	44.7	8070 JL	66.9 JL	0.143	0.721 JL	7.07	0.415 JL	< 0.102 U	52.4
I5	3/26/2014	2.32 JL	39.6	176 JL	5.71	6.52	4.30	142	8150 JL	157 JL	0.356	1.58 JL	7.31	1.62 JL	0.567	118
I6	3/26/2014	2.35 JL	29.7	114 JL	8.74	7.18	4.54	137	8880 JL	203 JL	0.276	1.52 JL	7.86	1.09 JL	0.817	153
I7	8/25/2014	< 0.484 UJL	4.30	172 JH	0.275 J	19.1	7.74	14.5	19400	19.7 JL	< 0.0161 U	0.626 J	12.3	2.11	< 0.0969 U	55.7
I8	3/6/2014	0.440 J	11.0	132	2.05	6.40	4.32	32.6	9330	46.9	0.156	< 0.0994 UB	7.20	2.67	< 0.0875 U	60.5
I9	3/5/2014	< 0.247 U	12.3	174	0.522	6.30	4.34	9.94	8370	10.9	< 0.00992 U	< 0.116 UB	6.50	2.21	< 0.102 U	29.7
II12	7/17/2014	0.340 JL	17.4	124	0.731	6.92	5.14	45.9	13500 JL	31.8	0.0328	1.82	6.77	0.540 J	< 0.122 U	72.6 J
II13	7/24/2014	0.440 J	16.4	133	0.298 J	3.48	2.83 J	9.11	4830 J	9.00	0.0141 J	0.437 J	4.89	< 0.189 UB	< 0.105 U	20.4 J
J10	3/5/2014	0.890 J	24.3	79.6	4.50	5.11	5.21	90.2	7780	90.1	0.415	12.4	6.32	3.51	< 0.0898 U	136
J11	3/20/2014	< 0.260 U	8.99	105	0.842	6.11	4.63	14.5	8180	16.6	0.0240 J	11.0	7.59	3.94	< 0.107 U	42.0
J12	4/2/2014	0.853 JL	6.61	150 JL	0.526	5.87	4.18 JL	8.81 JL	5880 JL	8.55 JL	< 0.0109 U	29.8	6.39 JL	11.6 JL	< 0.116 U	19.2 JL
J13	4/2/2014	0.987 JL	9.28	228 JL	0.761	6.80	4.45 JL	17.1 JL	6430 JL	23.5 JL	0.0667 JH	17.4	6.84 JL	8.34 JL	< 0.0966 U	30.3 JL
J14	4/7/2014	0.947 J	6.24	71.7	0.909	6.53	3.71	18.7	5140	25.5	0.0150 J	3.67	6.82	3.54	< 0.119 U	36.5
J15	4/3/2014	1.37 J	20.8	165	3.16	5.47	6.53	162	7430	128	0.773	6.43	7.70	5.92	1.18	308
J16	8/26/2014	< 0.491 UJL	14.6	87.6	2.00	8.15	4.26	60.0	12500	61.5	0.0714	0.805 J	5.14	1.25	0.200	67.9
FD09032014 (Field Duplicate for J16)	9/3/2014	< 0.504 UJL	15.4	105	2.46	8.58	4.33	66.4	13000	66.8	0.0757	0.825 J	5.22	1.16	0.213	72.0
J17	8/28/2014	< 0.504 UJL	9.76	89.2 JH	2.59	6.48	4.43	86.4	11400	83.2 JL	0.0317 J	0.676 J	4.35	0.943	0.415	114
J18	8/28/2014	0.713 JL	20.0	98.2 JH	6.80	7.65	4.31	172	11700	186 JL	0.0778	1.46 J	5.24	1.31	0.553	152
J19	4/12/2014	1.50 JL	13.7	69.7	4.13	0.833 J	1.74	99.7	739 JH	108	0.0761 JL	1.18 J	1.57 J	0.580 J	0.462	98.3
J2	3/27/2014	0.322 JL	3.79	252 JL	0.733	6.43	3.37	12.3	7430 JL	12.8 JL	< 0.0107 U	0.275 JL	5.58	0.359 JL	< 0.111 U	24.1
J20	4/11/2014	1.24 JL	12.6	62.1	3.78	0.942 J	1.89	135	1500 JH	90.1	0.0722 JL	3.11	1.63 J	0.334 J	0.308 J	135
J3	3/27/2014	< 0.249 UJL	3.74	213 JL	0.908	6.99	3.75	13.2	7720 JL	14.0 JL	< 0.00948 U	0.397 JL	5.69	0.334 JL	< 0.102 U	26.8
J4	3/27/2014	< 0.272 UJL	5.65	90.7 JL	0.832	6.32	3.54	13.6	7000 JL	20.4 JL	< 0.00977 U	0.336 JL	5.21	0.229 JL	< 0.112 U	29.8
J5	3/6/2014	0.705 J	31.2	154	5.73	6.86	4.45	161	8080	164	0.308	< 0.128 UB	8.67	1.22	< 0.112 U	210
J6	3/27/2014	2.13 JL	30.3	141 JL	5.53	7.09	4.65	139	8610 JL	118 JL	0.307	1.01 JL	8.00	1.48 JL	0.647	125
J7	3/27/2014	< 0.246 UJL	4.72	72.8 JL	0.809	5.73	3.86	10.8	7330 JL	13.1 JL	< 0.0108 U	0.614 JL	5.86	1.48 JL	< 0.102 U	27.9
J8	3/5/2014	< 0.284 U	11.5	69.9	1.24	6.15	4.46	23.2	7840	55.8	0.124	< 0.133 UB	6.57	2.77	< 0.117 U	52.3
J9	3/5/2014	< 0.243 U	10.9	64.7	1.30	6.02	7.19	44.4	10900	40.5	0.0777 J	6.78	6.52	2.56	< 0.100 U	206
J12	7/17/2014	0.404 JL	17.7	133	0.112 J	5.79	5.19	13.9	13800 JL	12.6	0.0183	0.579	5.71	< 0.275 U	< 0.126 U	43.6
K10	3/25/2014	< 0.251 UJL	6.23	42.1 JL	0.654	7.20	5.26	13.8	9790	9.42	< 0.0105 UB	6.56	8.90	1.24	< 0.104 U	30.8
K11	3/26/2014	< 0.299 UJL	7.40	67.1 JL	0.871	6.68	5.72	12.1	9380	7.03	< 0.0111 UB	6.15	9.64	3.03	< 0.123 U	30.6
K12	4/2/2014	0.826 JL	8.55	183 JL	0.636	6.26	3.97 JL	17.3 JL	6260 JL	16.5 JL	0.0471 JH	18.4	5.96 JL	10.2 JL	< 0.105 U	32.0 JL
K13	4/4/2014	1.82 J	26.0	135	2.85	4.30	4.97	105	5300	141	0.465	36.0	5.14	13.9	0.278 J	217
K14	4/3/2014	0.741 J	11.7	96.4	1.93	4.55	4.34	71.8	6040	54.5	0.131	4.45	5.46	2.56	0.176 J	138
K15	4/12/2014	1.66 JL	23.0	152	3.21	6.26	4.06	140	7580 JH	120	0.354 JL	5.38	7.02	12.7	0.634	165
K16	8/28/2014	< 0.504 UJL	8.07	91.1 JH	2.11	6.77	3.74	56.2	9580	69.2 JL	0.0261 J	0.604 J	4.18	0.828	0.179 J	76.8
K17	8/28/2014	0.522 JL	14.7	77.3 JH	4.35	6.06	4.01	125	9930	128 JL	0.0399	0.873 J	4.22	1.04	0.519	118
K18	8/28/2014	< 0.473 UJL	10.6	76.1 JH	2.84	8.48	4.36	81.3	13200	88.5 JL	0.0498	0.961 J	4.43	0.875	0.290	81.0
K19	4/7/2014	1.02 J	16.5	61.3	5.21	2.12	2.03	125	2750	121	0.140	0.839 J	2.77	1.48	0.309 J	102
K20	4/7/2014	0.832 J	15.0	167	2.73	4.04	4.79	68.8	5620	64.3	0.0519 J	0.944 J	6.56	2.50	< 0.116 U	97.7
K21	4/11/2014	1.04 JL	8.32	101	1.26	0.778 J	1.07	31.5	614 JH	33.1	0.0214 JL	0.612 J	1.18 J	0.754 J	< 0.108 U	29.4
K3	3/7/2014	0.986 J	15.1	202	6.20	3.28	2.45	134	3880	122	0.348	0.315 J	4.78	1.24	0.755	97.0

Table 3. Summary of Confirmation Analytical Results - Category II, East Property
Former ASARCO Smelter Site - El Paso, Texas

Location ID	Sample Date	Antimony mg/kg	Arsenic mg/kg	Barium mg/kg	Cadmium mg/kg	Chromium mg/kg	Cobalt mg/kg	Copper mg/kg	Iron mg/kg	Lead mg/kg	Mercury mg/kg	Molybdenum mg/kg	Nickel mg/kg	Selenium mg/kg	Silver mg/kg	Zinc mg/kg
TRRP C/I PCL		310	320	120,000	760	75,000	2,600	94,000	--	1,600	20	4,500	8,600	4,900	2,300	250,000
K4	3/27/2014	0.283 JL	4.03	186 JL	0.925	6.48	3.59	13.9	7630 JL	14.7 JL	0.0142 J	0.360 JL	5.16	0.217 JL	< 0.115 U	26.3
K5	3/27/2014	2.57 JL	28.5	199 JL	4.43	7.13	4.00	87.1	8590 JL	149 JL	0.367	0.885 JL	5.48	1.14	0.148 JL	73.9
K6	3/7/2014	0.290 J	23.2	130	1.87	5.57	3.67	37.6	6430	54.3	0.187	0.308 J	6.42	0.524 J	< 0.114 U	43.4
K7	3/5/2014	1.43 J	26.9	168	3.75	4.85	3.45	94.6	5850	96.9	0.212	< 0.105 UB	5.44	1.04	2.47	77.6
K8	3/5/2014	< 0.244 U	7.39	133	0.881	4.74	4.40	23.2	6570	22.3	0.0198 J	< 0.114 UB	5.52	0.717 J	< 0.101 U	81.6
K9	3/5/2014	< 0.220 U	9.08	122	1.02	5.36	4.13	20.0	7750	23.3	0.0443 J	< 0.103 UB	6.47	1.37	< 0.0907 U	57.5
L10	3/19/2014	< 0.240 U	9.90	144	0.684	6.56	4.66	12.2	8630	12.1	< 0.0101 U	1.18 J	7.96	0.763 J	< 0.0991 U	32.9
L11	3/26/2014	0.314 JL	6.91	69.2 JL	0.531 J	6.42	4.63	7.16	9590	8.00	< 0.0104 UB	4.66	8.32	3.00	< 0.117 U	26.1
L12	3/20/2014	< 0.277 U	9.38	122	0.660	6.22	5.27	12.6	8970	12.3	< 0.00975 U	3.87	8.34	4.10	< 0.114 U	29.0
L13	4/7/2014	0.779 J	15.0	231	2.02	5.46	4.00	46.7	6270	74.6	0.190	6.57	6.08	4.17	< 0.117 U	55.4
L14	4/3/2014	0.510 J	7.00	117	0.752	5.00	3.50	21.0	5580	17.3	0.0289 J	1.08 J	5.33	0.891 J	< 0.115 U	32.8
L15	4/3/2014	1.44 J	33.2	165	6.85	4.40	4.61	200	6050	205	0.191	13.1	5.28	23.0	0.476 J	292
L16	3/26/2014	1.46 JL	29.6	88.1 JL	2.22	5.78	3.55	69.8	10100	136	0.221 JL	3.71	4.75	41.8	< 0.132 U	238
L17	8/28/2014	0.811 JL	19.4	90.7 JH	5.87	8.39	4.76	170	12300	177 JL	0.0711	1.17 J	5.41	1.32	0.557	152
L18	8/28/2014	< 0.499 UJL	10.9	62.7 JH	2.96	7.21	3.98	87.9	10600	97.9 JL	0.0506	1.35 J	4.34	1.04	0.344	88.8
FD09032014-2 (Field Duplicate for L18)	9/3/2014	< 0.492 U	11.7	76.3	3.18	6.76	3.86	91.6	10200	107	0.0443	1.25 J	4.41	1.24	0.379	88.9
L19	8/21/2014	< 0.492 UJL	9.48	75.4 JH	2.61	6.13	3.44	82.2	9650	72.1 JL	0.0561	1.22 J	4.17	1.40	0.231	72.2
L20	4/7/2014	1.31 J	24.5	126	5.50	3.48	4.75	124	4820	128	0.139	2.17	5.18	2.58	0.198 J	173
L21	4/3/2014	1.16 JL	12.4	44.3	3.40	0.823 J	1.24	85.8	743 JH	86.2	0.0688 JL	1.41 J	1.15 J	0.195 J	0.306 J	81.3
L6	3/24/2014	< 0.289 UJL	4.81	165 JL	0.917	5.66	2.97	17.5	6860	19.6	0.0279 JL	0.236 J	4.66	0.349 J	< 0.119 U	28.7
L7	3/26/2014	0.649 JL	9.63	177 JL	0.879	5.73	3.24	26.5	6750	26.6	< 0.00969 UB	0.416 J	4.64	1.05	< 0.110 U	29.1
L8	3/25/2014	1.17 JL	14.7	225 JL	1.80	6.14	3.55	44.8	6740	45.9	< 0.0114 UB	3.16	5.84	2.05	< 0.117 U	45.8
L9	3/25/2014	< 0.270 UJL	3.95	35.7 JL	0.428 J	5.67	3.73	9.55	7410	5.89	< 0.0110 UB	1.31 J	6.46	0.376 J	< 0.111 U	22.0
M10	3/19/2014	< 0.265 U	6.39	120	0.615	5.96	4.50	11.7	8750	9.68	< 0.0107 U	3.31	7.82	1.02	< 0.109 U	37.4
M11	3/26/2014	< 0.244 UJL	4.68	86.0 JL	0.465	5.86	4.15	10.6	8640	6.12	< 0.00914 UB	9.14	6.93	3.36	< 0.101 U	25.0
M12	3/26/2014	< 0.247 UJL	8.18	58.2 JL	0.512	5.43	5.00	10.4	13400	7.07	< 0.00998 UB	1.59 J	7.71	1.51	< 0.102 U	26.1
M13	3/24/2014	0.566 JL	6.49	74.9 JL	0.453	4.74	2.93	10.5	6310	8.09	0.0298 JL	2.93	4.85	4.30	< 0.0981 U	23.6
M14	4/3/2014	0.428 J	6.54	69.1	0.523	4.12	3.19	10.9	5370	14.8	0.0502 J	1.56 J	4.62	5.55	< 0.104 U	26.1
M15	4/3/2014	0.670 J	10.6	69.0	1.16	5.05	3.32	38.6	5360	33.6	0.0886 J	5.16	4.66	56.9	0.152 J	61.9
M16	4/2/2014	1.01 JL	9.31	98.6 JL	1.04	3.52	2.92 JL	47.6 JL	6250 JL	52.3 JL	0.160 JH	2.14	4.06 JL	16.3 JL	< 0.101 U	61.3 JL
M17	8/28/2014	0.955 JL	23.8	153 JH	4.25	10.7	5.60	150	14400	175 JL	0.230	11.2	7.88	35.4	0.994	168
M18	8/28/2014	0.528 JL	14.9	93.1 JH	4.06	6.36	3.91	125	9790	138 JL	0.102	2.29	4.64	1.90	0.541	127
M19	8/28/2014	< 0.444 UJL	7.39	61.7 JH	2.32	5.18	3.00	59.6	8580	63.9 JL	0.0211 J	1.09 J	3.51	0.868	0.168 J	63.2
FD08282014 (Field Duplicate for M19)	8/28/2014	< 0.464 U	8.16	61.0	1.93	5.22	3.15	62.7	8690	67.4	0.0194 J	1.58 J	3.94	0.945	0.243	64.1
M20	3/28/2014	0.753 JL	18.7	77.5 JL	4.48	3.45	2.73 JL	115 JL	5570 JL	147 JL	0.127 JH	3.16	3.64 JL	0.934 JL	< 0.0862 U	104 JL
M21	4/7/2014	1.50 J	21.2	102	4.15	3.08	2.40	109	3530	89.7	0.142	1.51 J	3.84	1.50	0.648	170
M22	4/3/2014	1.48 JL	24.1	68.4	5.14	3.93	3.58	195	6680 JH	123	0.0986 JL	5.37	4.24	0.945 J	0.161 J	208
M7	3/26/2014	< 0.268 UJL	2.44	57.9 JL	0.257 J	2.16	1.73	5.56	3610	3.85	0.0319 JL	0.643 J	2.44	< 0.198 U	< 0.110 U	12.6
M8	3/11/2014	< 0.220 U	5.59	85.8	0.447	2.02	2.00	15.4	3200	10.2	0.00968 J	0.723 J	2.59	0.716 J	< 0.0905 U	49.5
M9	3/25/2014	< 0.242 UJL	3.87	183 JL	0.454	6.04	3.63	10.3	7770	7.52	< 0.00893 UB	3.92	6.21	0.872 J	< 0.0996 U	23.6

Table 3. Summary of Confirmation Analytical Results - Category II, East Property
Former ASARCO Smelter Site - El Paso, Texas

Location ID	Sample Date	Antimony mg/kg	Arsenic mg/kg	Barium mg/kg	Cadmium mg/kg	Chromium mg/kg	Cobalt mg/kg	Copper mg/kg	Iron mg/kg	Lead mg/kg	Mercury mg/kg	Molybdenum mg/kg	Nickel mg/kg	Selenium mg/kg	Silver mg/kg	Zinc mg/kg
TRRP C/I PCL		310	320	120,000	760	75,000	2,600	94,000	--	1,600	20	4,500	8,600	4,900	2,300	250,000
N10	2/21/2014	2.94	17.7	165	2.45	5.70	5.81	120	9010	53.8	0.0775 JH	6.35	5.35	1.86	0.371 J	229
N11	2/21/2014	3.75	16.2	168	3.43	4.69	7.17	143	12000	67.2	0.0935 JH	6.88	5.15	2.83	0.982	504
N12	3/24/2014	0.263 JL	5.06	117 JL	0.486	6.13	4.27	11.9	11600	7.27	< 0.0103 UJL	6.07	7.29	4.37	< 0.0878 U	27.0
N13	3/24/2014	< 0.274 UJL	6.61	99.8 JL	0.478 J	6.05	4.10	10.1	7790	6.12	< 0.0101 UJL	4.58	6.78	4.51	< 0.113 U	25.0
N14	8/26/2014	< 0.485 UJL	7.32	116	0.279 J	10.6	4.53	16.7	11200	11.9	0.0301 J	3.93	7.24	9.12	0.210	38.0
N15	4/7/2014	0.808 J	7.22	58.6	0.692	2.54	2.29	27.1	3380	21.4	0.0272 J	3.60	3.24	9.73	< 0.113 U	45.7
N16	4/3/2014	0.506 JL	9.82	84.6	1.15	4.00	2.67	39.5	5990 JH	47.9	0.105 JL	3.41	3.68	4.04	0.125 J	52.5
N17	8/28/2014	1.59 JL	34.5	156 JH	7.43	11.4	6.00	248	14800	265 JL	0.325	13.4	7.77	7.36	1.33	233
N18	8/28/2014	1.04 JL	25.8	143 JH	6.87	10.8	5.52	211	13900	220 JL	0.234	4.64	7.48	10.1	1.18	195
N19	8/28/2014	0.684 JL	17.5	182 JH	4.87	8.01	9.52	197	13700	151 JL	0.0784	5.29	5.70	3.77	0.677	617
N20	8/28/2014	0.821 JL	21.7	123 JH	6.77	8.75	4.78	188	11800	193 JL	0.129	3.39	5.97	1.91	0.861	158
N21	4/12/2014	1.35 JL	27.2	59.1	7.34	0.754 J	1.20	147	830 JH	184	0.269 JL	2.44	1.29 J	1.99	0.803	116
N22	4/3/2014	1.12 JL	6.07	109	0.554	0.736 J	0.830 J	18.0	470 JH	14.0	0.122 JL	0.307 J	0.783 J	1.11	0.385 J	19.9
N23	4/11/2014	0.955 JL	17.4	185	2.51	4.74	3.31	60.8	6520 JH	54.9	0.0554 JL	1.48 J	5.09	0.400 J	< 0.102 U	75.7
O11	2/21/2014	1.32 J	11.6	189	0.641	3.95	3.91	30.5	6560	15.0	0.0249 JH	1.62 J	4.07	1.78	< 0.0975 U	106
O12	3/26/2014	< 0.279 UJL	5.49	43.8 JL	0.570	6.09	4.91	7.29	10300	7.73	< 0.00975 UB	6.77	7.57	3.71	< 0.115 U	27.2
O13	4/3/2014	0.805 JL	3.47	30.7	0.650	0.729 J	1.29	15.8	467 JH	17.6	0.0314 JL	14.3	0.842 J	6.13	< 0.111 U	33.3
O14	4/12/2014	1.24 JL	12.7	135	1.22	5.00	3.33	40.8	6190 JH	39.1	0.0761 JL	3.21	4.95	3.19	< 0.0912 U	75.8
O15	4/7/2014	2.36	44.2	114	7.66	3.33	4.41	228	5490	295	0.432	11.5	4.93	9.92	1.24	437
O16	4/3/2014	1.14 JL	22.8	98.9	4.51	4.16	3.57	82.8	6580 JH	91.9	0.136 JL	6.22	4.28	3.22	< 0.107 U	207
O17	4/3/2014	0.632 JL	11.4	72.5	1.46	3.31	2.89	34.7	5510 JH	32.6	0.0588 JL	4.84	3.59	8.04	< 0.104 U	60.7
O18	4/3/2014	1.33 JL	22.7	96.8	3.94	3.44	3.71	145	5420 JH	158	0.274 JL	21.7	4.21	2.53	0.189 J	190
O19	4/2/2014	0.962 JL	13.2	75.4	3.07	2.62	2.24	96.7	4450 JH	110	0.109 JL	9.32	3.05	1.61	< 0.0995 U	91.9
O20	3/28/2014	1.66 JL	29.8	99.0 JL	6.06	3.84	4.01 JL	198 JL	6590 JL	190 JL	0.135 JH	6.12	6.39 JL	1.36 JL	< 0.109 U	222 JL
O21	4/14/2014	1.16 JL	23.6	78.3	6.08	3.95	3.32	112	6620 JH	136	0.159 JL	3.47	4.86	1.59	< 0.102 U	125
O22	3/28/2014	0.553 JL	11.8	64.9 JL	2.03	2.75	2.61 JL	47.3 JL	4510 JL	51.7 JL	0.230 JH	1.06 J	2.85 JL	1.46 JL	< 0.103 U	80.9 JL
O23	4/3/2014	1.23 JL	5.68	145	0.712	1.39	0.830 J	15.0	396 JH	15.3	0.0198 JL	0.423 J	0.978 J	0.882 J	< 0.120 U	12.9
O24	4/11/2014	0.357 JL	2.48	54.4	0.453	3.52	2.33	9.66	6040 JH	7.82	0.0123 JL	0.431 J	3.10	< 0.175 U	< 0.0974 U	25.2
P12	4/12/2014	0.295 JL	10.6	155	0.771	5.96	3.82	14.7	7770 JH	14.7	0.0262 JL	27.7	7.08	3.94	< 0.105 U	27.8
P13	4/7/2014	1.56 J	25.0	67.6	3.24	3.80	5.84	105	4940	111	0.176	122	6.43	2.27	0.320 J	177
P14	4/12/2014	3.31 JL	37.1	78.0	4.99	1.16	4.64	132	1950 JH	129	0.421 JL	13.5	2.05	10.7	0.564	331
P15	4/3/2014	1.17 J	12.8	290	1.19	3.81	3.19	24.4	4020	22.6	0.165	3.89	4.43	9.82	< 0.106 U	50.5
P16	7/14/2014	1.83 J	22.5	289 J	4.14	4.78	6.63	175	22100	123 J	0.0666	4.38	4.60	0.707 J	0.403 J	176
P17	4/4/2014	1.52 J	17.6	94.3	2.31	3.21	3.03	61.7	3750	66.5	0.123	5.36	4.17	4.29	0.137 J	142
P18	4/12/2014	2.05 JL	14.1	110	1.43	1.09	1.16	59.7	661 JH	43.8	0.167 JL	3.99	1.39 J	1.82	0.505	45.0
P19	3/28/2014	1.70 JL	33.6	80.6 JL	2.65	3.63	2.88 JL	163 JL	5230 JL	178 JL	0.0659 JH	5.46	3.51 JL	1.36 JL	< 0.0933 U	185 JL
P20	3/28/2014	0.478 JL	7.89	51.6 JL	1.45	2.54	2.62 JL	53.8 JL	5230 JL	53.1 JL	0.0110 JH	1.51 J	3.06 JL	0.585 JL	< 0.0904 U	62.3 JL
P21	3/28/2014	0.443 JL	9.31	61.0 JL	1.51	2.69	2.24 JL	47.6 JL	5540 JL	62.1 JL	0.0479 JH	0.944 J	2.95 JL	0.400 JL	< 0.0863 U	50.6 JL
P22	10/1/2014	0.867 J	23.3	114	5.49	9.48	5.03	167	13700	164	0.270	5.50	6.31	2.94	1.01	174
P23	3/28/2014	< 0.198 UJL	8.17	41.2 JL	0.489	2.37	2.23 JL	20.9 JL	5240 JL	12.8 JL	0.0317 JH	0.309 J	2.57 JL	0.343 JL	< 0.0816 U	21.2 JL
P24	4/2/2014	1.10 JL	6.24	130	0.580	4.77	2.26	13.0	4790 JH	14.1	0.0106 JL	0.520 J	5.07	1.04 J	< 0.115 U	20.7
P25	4/14/2014	1.39 JL	9.28	70.1	0.455 J	4.82	2.76	6.43	5670 JH	11.4	0.0124 JL	0.313 J	5.31	0.457 J	< 0.102 U	17.2
P26	4/14/2014	1.52 JL	16.0	66.4	3.12	5.69	3.82	105	7630 JH	70.3	0.0650 JL	3.74	6.05	0.623 J	< 0.106 U	125
P27	4/14/2014	0.772 JL	6.00	79.2	0.727	5.72	3.95	14.6	7510 JH	18.6	< 0.0110 UJL	2.16	7.81	0.500 J	< 0.118 U	33.8
Q12	4/7/2014	0.396 J	10.2	109	0.666	5.26	4.03	24.4	5880	18.6	0.0518 J	6.04	6.76	1.69	< 0.110 U	33.2
Q13	4/7/2014	< 0.274 U	4.27	72.2	0.473 J	4.01	3.35	6.89	4570	7.26	< 0.00935 U	3.32	5.71	1.28	< 0.113 U	20.3

**Table 3. Summary of Confirmation Analytical Results - Category II, East Property
Former ASARCO Smelter Site - El Paso, Texas**

Location ID	Sample Date	Antimony mg/kg	Arsenic mg/kg	Barium mg/kg	Cadmium mg/kg	Chromium mg/kg	Cobalt mg/kg	Copper mg/kg	Iron mg/kg	Lead mg/kg	Mercury mg/kg	Molybdenum mg/kg	Nickel mg/kg	Selenium mg/kg	Silver mg/kg	Zinc mg/kg
TRRP C/I PCL		310	320	120,000	760	75,000	2,600	94,000	--	1,600	20	4,500	8,600	4,900	2,300	250,000
Q14	4/2/2014	0.504 JL	19.0	106 JL	1.08	6.11	5.15 JL	34.4 JL	10400 JL	26.8 JL	0.0966 JH	8.87	7.65 JL	2.82 JL	< 0.0885 U	61.6 JL
Q15	4/3/2014	0.963 JL	11.0	71.0	1.20	0.881 J	2.06	46.3	917 JH	29.4	0.0470 JL	10.8	1.16 J	3.43	< 0.113 U	90.9
Q16	2/26/2014	0.884 J	7.74	146	0.639	4.65	3.51	16.0	5110	10.8	0.0359 J	3.92	4.96	2.28	< 0.106 U	122
Q17	2/26/2014	1.41 J	15.8	128	2.29	4.32	6.78	92.3	7040	54.9	0.0803 J	7.46	5.53	3.81	< 0.116 U	302
Q18	2/26/2014	1.35 J	26.2	141	2.36	3.42	6.50	147	7500	53.7	0.136	12.3	4.64	1.06	< 0.0905 U	361
Q19	4/2/2014	1.89 JL	24.2	157 JL	3.43	5.22	6.09 JL	153 JL	11900 JL	113 JL	0.318 JH	13.4	5.48 JL	2.42 JL	0.0961 J	390 JL
Q20	3/28/2014	0.473 JL	6.63	52.4 JL	1.50	3.04	2.71 JL	54.1 JL	5580 JL	56.4 JL	0.0276 JH	2.17	2.80 JL	0.663 JL	< 0.0882 U	75.8 JL
Q21	3/28/2014	0.585 J	18.0	51.7	3.41	1.65	1.90	104	2990	123	0.0662 J	2.62	2.61	0.495 J	< 0.0943 U	80.2
Q22	2/20/2014	0.513 JL	7.34	63.0 JL	1.84	3.41	2.87	56.2	5760	60.1	< 0.00937 UB	4.57	3.14	0.357 J	< 0.104 U	99.4
Q23	3/28/2014	0.653 JL	9.47	56.7 JL	1.46	3.92	2.83 JL	44.4 JL	6120 JL	47.5 JL	0.0370 JH	1.79 J	3.25 JL	0.368 JL	< 0.103 U	67.5 JL
Q25	4/3/2014	1.70 JL	3.89	24.7	0.443 J	1.86	0.489 J	10.5	416 JH	10.6	0.0131 JL	0.309 J	0.900 J	0.985 J	< 0.122 U	8.16
Q26	2/20/2014	1.99 JL	16.2	59.1 JL	3.36	6.10	3.58	103	7020	80.2	< 0.0109 UB	1.90 J	6.01	1.08	< 0.108 U	112
Q27	4/14/2014	2.12 JL	26.5	117	5.84	5.15	3.97	149	6630 JH	148	0.126 JL	6.23	6.01	1.32	0.404 J	152
Q28	4/14/2014	1.03 JL	5.03	119	0.620	4.26	2.53	10.8	4560 JH	10.9	< 0.00906 UJL	1.07 J	4.30	1.37	< 0.100 U	18.8
R12	4/7/2014	0.706 J	17.0	132	1.32	4.87	4.16	50.9	5390	47.2	0.146	2.76	5.62	1.67	< 0.115 U	88.9
R13	4/2/2014	0.285 JL	8.63	75.1 JL	0.858	6.32	4.83 JL	22.1 JL	9120 JL	16.3 JL	0.0385 JH	8.98	7.16 JL	1.66 JL	< 0.112 U	40.4 JL
R21	3/28/2014	0.359 JL	8.30	63.1 JL	1.58	3.11	2.90 JL	51.6 JL	5990 JL	68.9 JL	< 0.00926 U	1.44 J	3.60 JL	0.360 JL	< 0.0890 U	65.7 JL
R22	3/28/2014	0.393 JL	11.3	79.1 JL	3.42	2.75	2.39 JL	90.1 JL	4680 JL	102 JL	< 0.00957 U	1.95 J	2.81 JL	< 0.194 UB	< 0.108 U	68.9 JL
R23	2/20/2014	0.451 JL	7.78	54.5 JL	1.34	3.23	2.64	48.3	6650	46.4	< 0.00897 UB	1.12 J	3.07	0.180 J	< 0.0977 U	59.5
S23	3/28/2014	0.376 JL	6.27	91.2 JL	1.77	2.63	3.57 JL	59.8 JL	4900 JL	44.9 JL	0.0280 JH	4.89	2.83 JL	< 0.189 UB	< 0.105 U	140 JL

Notes:

TRRP = Texas Risk Reduction Program

PCL = Protective Concentration Level

C/I = Direct Contact with Commercial/Industrial Soil

mg/Kg = milligrams per kilogram

"--" = Not applicable

< = Analyte not detected above listed sample detection limit

J = The analyte was positively identified; however, the associated numerical value is an estimated concentration only.

JH = The analyte was positively identified; however, the associated numerical value is an estimated concentration only. The sample result is biased high in sample.

JL = The analyte was positively identified; however, the associated numerical value is an estimated concentration only. The sample result is biased low in sample.

U = The

UB = Analyte considered non-detect at the listed value due to associated blank contamination.

UJ = The analyte was not detected above the reported sample detection limit. However, the reported limit is approximate and may or may not represent the actual limit of detection.

UJL = The analyte was not detected above the reported sample detection limit. However, the reported limit is approximate and may or may not represent the actual limit of detection. The sample result is biased low in sample.