



19-Apr-2013

Marla Miller
ARCADIS U.S., Inc.
211 N Florence Street
Suite 202
El Paso, TX 79901

Tel: (602) 797-4699
Fax: (915) 533-9045

Re: Asarco El Paso, TX

Work Order: **1304504**

Dear Marla,

ALS Environmental received 1 sample on 11-Apr-2013 10:15 AM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 15.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

A handwritten signature in black ink that reads "Bethany McDaniel".

Electronically approved by: Jumoke M. Lawal

Bethany McDaniel
Project Manager



Certificate No: TX: T104704231-12-10

ADDRESS 10450 Stancliff Rd, Suite 210 Houston, Texas 77099-4338 | PHONE (281) 530-5656 | FAX (281) 530-5887

ALS GROUP USA, CORP. Part of the ALS Group An ALS Limited Company

Environmental

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

Client: ARCADIS U.S., Inc.
Project: Asarco El Paso, TX
Work Order: 1304504

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
1304504-01	LSI-COMP3QA	Soil		4/10/2013 15:50	4/11/2013 10:15	<input type="checkbox"/>

Client: ARCADIS U.S., Inc.

Project: Asarco El Paso, TX

Work Order: 1304504

Case Narrative

Batch 69213, Metals, Sample 1304507-17: MS/MSD and DUP performed on an unrelated sample.

ALS Environmental

Date: 19-Apr-13

Client: ARCADIS U.S., Inc.
 Project: Asarco El Paso, TX
 Sample ID: LSI-COMP3QA
 Collection Date: 4/10/2013 03:50 PM

Work Order: 1304504
 Lab ID: 1304504-01
 Matrix: SOIL

Analyses	Result	Qual	SDL	ML	Units	Dilution Factor	Date Analyzed
MERCURY - SW7471B		Method: SW7471A		Prep: SW7471A / 4/17/13		Analyst: OFO	
Mercury	30,200		51	362	mg/Kg-dry	10000	4/17/2013 17:30
METALS		Method: SW6020		Prep: SW3050A / 4/15/13		Analyst: JCJ	
Antimony	1,090		37	92.2	mg/Kg-dry	200	4/16/2013 20:57
Arsenic	34,800		46	231	mg/Kg-dry	500	4/17/2013 14:18
Barium	34.5		1.5	9.22	mg/Kg-dry	20	4/16/2013 21:02
Cadmium	9,310		9.2	92.2	mg/Kg-dry	200	4/16/2013 20:57
Chromium	5.43		0.083	0.461	mg/Kg-dry	1	4/15/2013 16:28
Cobalt	10.3		0.065	0.461	mg/Kg-dry	1	4/15/2013 16:28
Copper	3,170		18	92.2	mg/Kg-dry	200	4/16/2013 20:57
Iron	6,890		9.2	46.1	mg/Kg-dry	1	4/15/2013 16:28
Lead	83,000		46	461	mg/Kg-dry	1000	4/17/2013 16:17
Molybdenum	20.7		0.14	0.461	mg/Kg-dry	1	4/15/2013 16:28
Nickel	15.1		0.083	0.461	mg/Kg-dry	1	4/15/2013 16:28
Selenium	1,720		33	92.2	mg/Kg-dry	200	4/16/2013 20:57
Silver	57.4		15	36.9	mg/Kg-dry	200	4/16/2013 20:57
Thallium	594		13	92.2	mg/Kg-dry	200	4/16/2013 20:57
Zinc	9,520		46	92.2	mg/Kg-dry	200	4/16/2013 20:57
MOISTURE		Method: SW3550				Analyst: KAH	
Percent Moisture	3.60		0.010	0.0100	wt%	1	4/16/2013 16:00
PH - SOIL - SW9045D		Method: SW9045B				Analyst: KL	
pH	2.55		0.10	0.100	pH Units	1	4/16/2013 17:00

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: ARCADIS U.S., Inc.
Work Order: 1304504
Project: Asarco El Paso, TX

QC BATCH REPORT

Batch ID: **69162** Instrument ID **HG02** Method: **SW7471A**

MBLK		Sample ID: GBLKS1-041213-69162			Units: µg/Kg			Analysis Date: 4/12/2013 02:43 PM		
Client ID:		Run ID: HG02_130412A			SeqNo: 3176998			Prep Date: 4/12/2013		DF: 1
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Mercury	0.5333	3.3								J

LCS		Sample ID: GLCSS1-041213-69162			Units: µg/Kg			Analysis Date: 4/12/2013 02:45 PM		
Client ID:		Run ID: HG02_130412A			SeqNo: 3177000			Prep Date: 4/12/2013		DF: 1
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Mercury	335.3	3.3	333.3	0	101	85-115	0			

MS		Sample ID: 1304378-01BMS			Units: µg/Kg			Analysis Date: 4/12/2013 02:51 PM		
Client ID:		Run ID: HG02_130412A			SeqNo: 3177008			Prep Date: 4/12/2013		DF: 1
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Mercury	348.3	3.4	342.1	27.48	93.8	85-115	0			

MSD		Sample ID: 1304378-01BMSD			Units: µg/Kg			Analysis Date: 4/12/2013 02:53 PM		
Client ID:		Run ID: HG02_130412A			SeqNo: 3177011			Prep Date: 4/12/2013		DF: 1
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Mercury	340.2	3.4	341.5	27.48	91.6	85-115	348.3	2.36	20	

DUP		Sample ID: 1304378-01BDUP			Units: µg/Kg			Analysis Date: 4/12/2013 02:49 PM		
Client ID:		Run ID: HG02_130412A			SeqNo: 3177006			Prep Date: 4/12/2013		DF: 1
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Mercury	25.01	3.4	0	0	0		27.48	9.39	20	

The following samples were analyzed in this batch: 1304504-01A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: ARCADIS U.S., Inc.
 Work Order: 1304504
 Project: Asarco El Paso, TX

QC BATCH REPORT

Batch ID: **69213** Instrument ID **ICPMS04** Method: **SW6020**

MBLK Sample ID: **MBLKS1-041513-69213** Units: **mg/Kg** Analysis Date: **4/15/2013 02:31 PM**

Client ID: Run ID: **ICPMS04_130415A** SeqNo: **3179102** Prep Date: **4/15/2013** DF: **1**

Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Antimony	U	0.50								
Arsenic	U	0.50								
Barium	U	0.50								
Cadmium	U	0.50								
Chromium	U	0.50								
Cobalt	U	0.50								
Copper	U	0.50								
Iron	U	50								
Lead	U	0.50								
Molybdenum	U	0.50								
Selenium	U	0.50								
Silver	U	0.50								
Zinc	U	0.50								

LCS Sample ID: **MLCSS1-041513-69213** Units: **mg/Kg** Analysis Date: **4/15/2013 02:36 PM**

Client ID: Run ID: **ICPMS04_130415A** SeqNo: **3179103** Prep Date: **4/15/2013** DF: **1**

Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Antimony	9.514	0.50	10	0	95.1	80-120	0			
Arsenic	9.516	0.50	10	0	95.2	80-120	0			
Barium	10.17	0.50	10	0	102	80-120	0			
Cadmium	9.541	0.50	10	0	95.4	80-120	0			
Chromium	10.04	0.50	10	0	100	80-120	0			
Cobalt	10.09	0.50	10	0	101	80-120	0			
Copper	10.31	0.50	10	0	103	80-120	0			
Iron	984.5	50	1000	0	98.4	80-120	0			
Lead	10.15	0.50	10	0	101	80-120	0			
Molybdenum	9.932	0.50	10	0	99.3	80-120	0			
Selenium	9.313	0.50	10	0	93.1	80-120	0			
Silver	9.984	0.50	10	0	99.8	80-120	0			
Zinc	10.35	0.50	10	0	103	80-120	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: ARCADIS U.S., Inc.
 Work Order: 1304504
 Project: Asarco El Paso, TX

QC BATCH REPORT

Batch ID: 69213 Instrument ID ICPMS04 Method: SW6020

MS		Sample ID: 1304507-17BMS				Units: mg/Kg		Analysis Date: 4/15/2013 03:41 PM			
Client ID:		Run ID: ICPMS04_130415A				SeqNo: 3179501		Prep Date: 4/15/2013		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Antimony	3.975	0.47	9.422	0.07693	41.4	75-125	0			S	
Arsenic	11.03	0.47	9.422	2.943	85.8	75-125	0				
Barium	21.1	0.47	9.422	11.32	104	75-125	0				
Cadmium	9.183	0.47	9.422	-0.0184	97.6	75-125	0				
Chromium	16.33	0.47	9.422	7.429	94.4	75-125	0				
Cobalt	9.749	0.47	9.422	0.5529	97.6	75-125	0				
Copper	12	0.47	9.422	2.745	98.2	75-125	0				
Iron	9569	47	942.2	9230	36	75-125	0			SO	
Lead	13.82	0.47	9.422	3.754	107	75-125	0				
Molybdenum	8.548	0.47	9.422	0.3744	86.7	75-125	0				
Selenium	7.289	0.47	9.422	0.037	77	75-125	0				
Silver	9.504	0.47	9.422	-0.04363	101	75-125	0				
Zinc	11.86	0.47	9.422	2.794	96.2	75-125	0				

MSD		Sample ID: 1304507-17BMSD				Units: mg/Kg		Analysis Date: 4/15/2013 03:46 PM			
Client ID:		Run ID: ICPMS04_130415A				SeqNo: 3179502		Prep Date: 4/15/2013		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Antimony	4.132	0.47	9.486	0.07693	42.8	75-125	3.975	3.89	25	S	
Arsenic	10.93	0.47	9.486	2.943	84.1	75-125	11.03	0.962	25		
Barium	19.4	0.47	9.486	11.32	85.2	75-125	21.1	8.41	25		
Cadmium	8.936	0.47	9.486	-0.0184	94.4	75-125	9.183	2.72	25		
Chromium	15.67	0.47	9.486	7.429	86.9	75-125	16.33	4.12	25		
Cobalt	9.613	0.47	9.486	0.5529	95.5	75-125	9.749	1.41	25		
Copper	11.76	0.47	9.486	2.745	95	75-125	12	2.04	25		
Iron	9128	47	948.6	9230	-10.7	75-125	9569	4.72	25	SO	
Lead	12.86	0.47	9.486	3.754	96	75-125	13.82	7.23	25		
Molybdenum	8.196	0.47	9.486	0.3744	82.4	75-125	8.548	4.21	25		
Selenium	7.418	0.47	9.486	0.037	77.8	75-125	7.289	1.76	25		
Silver	8.83	0.47	9.486	-0.04363	93.5	75-125	9.504	7.35	25		
Zinc	11.48	0.47	9.486	2.794	91.5	75-125	11.86	3.3	25		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: ARCADIS U.S., Inc.
 Work Order: 1304504
 Project: Asarco El Paso, TX

QC BATCH REPORT

Batch ID: **69213** Instrument ID **ICPMS04** Method: **SW6020**

DUP Sample ID: **1304507-17BDUP** Units: **mg/Kg** Analysis Date: **4/15/2013 03:32 PM**

Client ID: Run ID: **ICPMS04_130415A** SeqNo: **3179444** Prep Date: **4/15/2013** DF: **1**

Analyte	Result	ML	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Antimony	U	0.48	0	0	0	0-0	0.07693	0	25	
Arsenic	2.938	0.48	0	0	0	0-0	2.943	0.19	25	
Barium	11	0.48	0	0	0	0-0	11.32	2.85	25	
Cadmium	U	0.48	0	0	0	0-0	-0.0184	0	25	
Chromium	7.211	0.48	0	0	0	0-0	7.429	2.99	25	
Cobalt	0.529	0.48	0	0	0	0-0	0.5529	4.43	25	
Copper	2.75	0.48	0	0	0	0-0	2.745	0.194	25	
Iron	9131	48	0	0	0	0-0	9230	1.08	25	
Lead	3.647	0.48	0	0	0	0-0	3.754	2.88	25	
Molybdenum	0.3556	0.48	0	0	0	0-0	0.3744	0	25	J
Selenium	U	0.48	0	0	0	0-0	0.037	0	25	
Silver	U	0.48	0	0	0	0-0	-0.04363	0	25	
Zinc	7.83	0.48	0	0	0	0-0	2.794	94.8	25	R

The following samples were analyzed in this batch:

1304504-01A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: ARCADIS U.S., Inc.
 Work Order: 1304504
 Project: Asarco El Paso, TX

QC BATCH REPORT

Batch ID: **69283** Instrument ID **HG02** Method: **SW7471A**

MBLK		Sample ID: GBLKS1-041713-69283				Units: µg/Kg		Analysis Date: 4/17/2013 03:50 PM		
Client ID:		Run ID: HG02_130417A				SeqNo: 3184115		Prep Date: 4/17/2013		DF: 1
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Mercury	0.6	3.3								J

LCS		Sample ID: GLCSS1-041713-69283				Units: µg/Kg		Analysis Date: 4/17/2013 03:55 PM		
Client ID:		Run ID: HG02_130417A				SeqNo: 3184116		Prep Date: 4/17/2013		DF: 1
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Mercury	368.7	3.3	333.3	0	111	85-115	0			

MS		Sample ID: 1304539-02BMS				Units: µg/Kg		Analysis Date: 4/17/2013 04:01 PM		
Client ID:		Run ID: HG02_130417A				SeqNo: 3184119		Prep Date: 4/17/2013		DF: 1
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Mercury	309.6	3.4	344	1.932	89.4	85-115	0			

MSD		Sample ID: 1304539-02BMSD				Units: µg/Kg		Analysis Date: 4/17/2013 04:05 PM		
Client ID:		Run ID: HG02_130417A				SeqNo: 3184120		Prep Date: 4/17/2013		DF: 1
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Mercury	312.3	3.4	343.2	1.932	90.4	85-115	309.6	0.882	20	

DUP		Sample ID: 1304539-02BDUP				Units: µg/Kg		Analysis Date: 4/17/2013 03:59 PM		
Client ID:		Run ID: HG02_130417A				SeqNo: 3184118		Prep Date: 4/17/2013		DF: 1
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Mercury	1.654	3.4	0	0	0		1.932	0	20	J

The following samples were analyzed in this batch:

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: ARCADIS U.S., Inc.
Work Order: 1304504
Project: Asarco El Paso, TX

QC BATCH REPORT

Batch ID: **R145881** Instrument ID **WetChem** Method: **SW9045B** (**Dissolve**)

LCS Sample ID: **WLCSS1-130416-R145881** Units: **pH Units** Analysis Date: **4/16/2013 05:00 PM**

Client ID: Run ID: **WETCHEM_130416K** SeqNo: **3182217** Prep Date: DF: **1**

Analyte	Result	ML	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
pH	6	0.10	6	0	100	90-110	0			

DUP Sample ID: **1304504-01ADUP** Units: **pH Units** Analysis Date: **4/16/2013 05:00 PM**

Client ID: **LSI-COMP3QA** Run ID: **WETCHEM_130416K** SeqNo: **3182232** Prep Date: DF: **1**

Analyte	Result	ML	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
pH	2.54	0.10	0	0	0	0-0	2.55	0.393	20	

The following samples were analyzed in this batch: 1304504-01A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: ARCADIS U.S., Inc.
Work Order: 1304504
Project: Asarco El Paso, TX

QC BATCH REPORT

Batch ID: **R145929** Instrument ID **Balance1** Method: **SW3550** (**Dissolve**)

DUP Sample ID: **1304507-17BDUP** Units: **wt%** Analysis Date: **4/16/2013 04:00 PM**

Client ID: Run ID: **BALANCE1_130416C** SeqNo: **3183595** Prep Date: DF: **1**

Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Percent Moisture	6.679	0.010	0	0	0	0-0	7.005	4.75	20	

The following samples were analyzed in this batch:

1304504-01A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: ARCADIS U.S., Inc.
Project: Asarco El Paso, TX
WorkOrder: 1304504

**QUALIFIERS,
ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL

<u>Acronym</u>	<u>Description</u>
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

<u>Units Reported</u>	<u>Description</u>
mg/Kg-dry	Milligrams per Kilogram - Dry weight corrected
pH Units	
wt%	

Sample Receipt Checklist

Client Name: MALCOLM PIRNIE-EL PASO

Date/Time Received: 11-Apr-13 10:15

Work Order: 1304504

Received by: RDH

Checklist completed by Johnnie B. Allen 12-Apr-13
eSignature Date

Reviewed by: Bethany McDaniel 12-Apr-13
eSignature Date

Matrices: soil
Carrier name: FedEx Priority Overnight

- Shipping container/cooler in good condition? Yes [checked] No [] Not Present []
Custody seals intact on shipping container/cooler? Yes [checked] No [] Not Present []
Custody seals intact on sample bottles? Yes [] No [] Not Present [checked]
Chain of custody present? Yes [checked] No []
Chain of custody signed when relinquished and received? Yes [checked] No []
Chain of custody agrees with sample labels? Yes [checked] No []
Samples in proper container/bottle? Yes [checked] No []
Sample containers intact? Yes [checked] No []
Sufficient sample volume for indicated test? Yes [checked] No []
All samples received within holding time? Yes [checked] No []
Container/Temp Blank temperature in compliance? Yes [checked] No []

Temperature(s)/Thermometer(s): 3.3 C/3.3 C u/c IR 1

Cooler(s)/Kit(s): Foam

Date/Time sample(s) sent to storage: 4/12/13 08:39


Water - VOA vials have zero headspace? Yes [] No [] No VOA vials submitted [checked]

Water - pH acceptable upon receipt? Yes [] No [] N/A [checked]

pH adjusted? Yes [] No [] N/A [checked]

pH adjusted by: []

Login Notes:



Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments: []

CorrectiveAction: []

1304504

ARCADIS-PHOENIX: Arcadis
Project: Asarco-EI Paso



CHAIN OF CUSTODY & LABORATORY ANALYSIS REQUEST FORM

Page

ID#



Matrix Key:
SE - Sediment RL - NAPROJ
SW - Sample Waste
W - Water SL - Sludge
T - Tissue A - Air Other:

Matrix Key:
SO - Soil
W - Water
T - Tissue

Matrix Key:
SE - Sediment
SW - Sample Waste
SL - Sludge
W - Water
A - Air
Other:

Matrix Key:
SO - Soil
W - Water
T - Tissue

Matrix Key:
SE - Sediment
SW - Sample Waste
SL - Sludge
W - Water
A - Air
Other:

Matrix Key	Preparative Method	Filter (Y/N)	# of Containers	Container Identification	Retention Time	Matrix	Sample ID	Collection Date	Time	Temp	Other	Remarks
	Antimony, Arsenic, Barium, Cadmium, Copper, Iron Lead, Mercury, Molybdenum, Nickel, Selenium, Silver, Zinc					Soil	LSI-Comp 30A	4/10/13	1550	X		
	PH											

Special Instructions/Comments: Special Order Instructions (V)

Normal TAT, also email garratt.ferguson@arcadis-us.com and William.Sabatka@arcadis-us.com

Laboratory Intoxication and Recapt: Cooler (checked with box) (V) Inhibit Not Inhibit Cooler Custody Seal (V)

Shipping Instructions: Sample Recipient: Condition/Cooler Temp:

Distribution: WHITE - Laboratory returns with results YELLOW - Lab copy PINK - Retained by ARCADIS

ORIGIN ID:ELPA (915) 533-9025
ARCADIS

211 N FLORENCE ST

EL PASO, TX 799011665
UNITED STATES US

SHIP DATE: 10APR13
ACTWGT: 7.7 LB
CAD: /OFFC1400
DIMS: 15x13x12 IN


BILL SENDER

TO **SAMPLE MNGR**
ALS LABORATORY GROUP
10450 STANCLIFF RD
STE 210
HOUSTON TX 77099

(281) 530-5858

REF:

DEPT:



FedEx
Express




J13111302120126

TRK# 8022 7362 2691
0200

THU - 11 APR 10:30A
PRIORITY OVERNIGHT

NC SGRA

77099
TX-US IAH



805595
THE LEADER IN ENVIRONMENTAL TESTING
TestAmerica

Custody Seal
DATE 4/11
SIGNATURE

10413
G. K. ...

2011
TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
805595